Safety Data Sheet



Assist Easy Red

| Section 1: SUBSTANCE IDENTIFICATION AND SUP | |
|---|--|
| | |

| Product Name: | ASSIST EASY RED |
|--------------------------------------|--|
| r roduct rearrie. | ASSIST LAST NED |
| Product Code: | 7982190 (20 litres) |
| | 7982188 (5 litres) |
| Recommended Use: | A temporary red spray indicator for applications where a marker is required. |
| Restrictions of Use: | Refer to Section 15 |
| Company Identification: | Ravensdown Limited |
| Address: | 292 Main South Road, Hornby, Christchurch, 8042 |
| | PO Box 1049, Christchurch 8011 |
| Customer Centre: | 0800 100 123 |
| National Poisons Information Centre: | 0800 POISON (0800 764 766) |
| Emergency Phone Number: | 0800 CHEMCALL (0800 243 622) (24hr) (Emergencies Only) |
| Transport Emergency Phone Number: | 111 - tell operator what service is needed: Fire, Ambulance or Police |
| Date of SDS Preparation | 15 April 2024 v2 |

Section 2: HAZARD IDENTIFICATION

This substance is hazardous according to the EPA Hazardous Substances (Classification) Notice 2020

| EPA Approval No: | Additives, Process Chemicals and Raw Materials (subsidiary) – HSR002503 | |
|------------------|---|--|
| Pictograms: | <u>!</u> | |
| Signal Word: | Warning | |

| GHS Classification and Category | Hazard Code | Hazard Statement |
|---|-------------|--|
| Acute oral toxicity Cat. 4 | H302 | Harmful if swallowed. |
| Eye irritation Cat. 2 | H319 | Causes serious eye irritation. |
| Specific target organ toxicity – repeated exposure Cat. 2 | Н373 | May cause damage to organs through prolonged or repeated exposure. |
| Hazardous to the aquatic environment chronic Cat. 4 | H413 | May cause long lasting harmful effects to aquatic life. |
| Hazardous to soil organisms. | H423 | Hazardous to soil organisms |
| Hazardous to terrestrial vertebrates. | H433 | Hazardous to terrestrial vertebrates |

| Prevention Code | Prevention Statement |
|------------------------|---|
| P102 | Keep out of reach of children. |
| P103 | Read carefully and follow all instructions. |
| P260 | Do not breathe fumes, vapours and spray. |
| P264 | Wash hands thoroughly after handling. |
| P270 | Do not eat, drink or smoke when using this product. |
| P273 | Avoid release to the environment. |
| P280 | Wear protective clothing as detailed in Section 8. |

| Response Code | Response Statement | |
|---------------|---|--|
| P101 | If medical advice is needed, have product container or label at hand. | |

Product Name: Assist Easy Red SDS Prepared by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 15 April 2024 Tel: 64 9 475 5240 www.techcomp.co.nz

| P314 | Get medical advice if you feel unwell. | |
|------------------|--|--|
| P330 | Rinse mouth. | |
| P301 + P312 | IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. | |
| P305 + P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. | |
| P337 + P313 | If eye irritation persists: Get medical advice/attention. | |
| | | |

| Storage Code | Storage Statement |
|-----------------|-------------------|
| None allocated | |
| Trong and dated | |

| Disposal Code | Disposal Statement |
|---------------|--|
| P501 | Dispose of according to Local Regulations or Authorities |

Section 3: COMPOSITION INFORMATION

| INGREDIENT | CAS No. | CONTENT |
|-------------------------------|-------------|---------|
| Rhodamine B | 81-88-9 | 13% |
| Diethylene glycol ethyl ether | 111-90-0 | 60-90 |
| Non-hazardous components | Proprietary | 0-30% |

Section 4: FIRST AID MEASURES

| Routes of Exposure: | | |
|----------------------|--|--|
| If in eyes: | Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. | |
| | Continue rinsing. If eye irritation persists: Get medical advice/attention. | |
| If on skin: | Remove contaminated clothing and wash affected area thoroughly with soap and water, rinsing for | |
| | several minutes. If a large area is affected seek medical assistance immediately. | |
| If ingested: | Never give anything by mouth to an unconscious person. If swallowed, and the patient is conscious, | |
| | rinse mouth but DO NOT induce vomiting. For advice, contact the National Poisons Centre on 0800 | |
| | POISON (0800 764 766). Seek medical assistance immediately. | |
| If inhaled: | Remove patient to fresh air. Lay down and keep warm and rested. If breathing is shallow or has | |
| | stopped ensure airway is clear and apply resuscitation. Seek medical assistance | |
| | immediately. | |
| Most important sympt | oms and effects, both acute and delayed | |
| Symptoms: | | |
| Eyes: | Causes serious eye irritation. | |
| Skin: | Causes mild skin irritation. | |
| Ingested: | Harmful if swallowed. | |
| Inhaled: | Not applicable. | |
| Chronic: | May cause damage to organs through prolonged or repeated exposure. | |
| Notes to Doctor: | No specific antidote so treat symptomatically. If vomiting is induced, suggest endotracheal and/or | |
| | oesophageal control. Danger from lung aspiration must be weighed against toxicity when considering emptying the stomach. | |

Section 5: FIRE FIGHTING MEASURES

| Hazard Type | Non Flammable |
|----------------------------------|--|
| Hazards from combustion products | None known. |
| Suitable Extinguishing media | Based on surrounding materials. |
| Precautions for firefighters and | Full protective clothing and self-contained breathing apparatus. |
| special protective clothing | |
| HAZCHEM CODE | None allocated |

Section 6: ACCIDENTIAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:

Wear appropriate protective clothing as detailed in Section 8. Exclude non-essential people from the area.

Environmental precautions:

Prevent from entering drains, waterways or sewers. If spill does enter waterways contact local authority.

Methods and material for containment and cleaning up:

Contain spill and absorb with inert material such as soil, sand, vermiculite or absorbent granules and place in a sealable waste container. Avoid generating dust. Dispose of waste safely in an approved landfill. Dispose of according to Section 13.

Product Name: Assist Easy Red SDS Prepared by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 15 April 2024 Tel: 64 9 475 5240 www.techcomp.co.nz

Section 7: HANDLING AND STORAGE

| Handling: | Read carefully and follow all instructions. |
|-----------|---|
| | Avoid contact with skin, eyes and inhalation of vapours, mist, aerosols or dust. |
| | Do not breathe fumes, vapours and spray. |
| | Wash hands thoroughly after handling. |
| | Do not eat, drink or smoke when using this product. |
| | Avoid release to the environment. |
| | Wear protective clothing as detailed in Section 8. |
| Storage: | Keep out of reach of children. |
| | Store away from incompatible materials listed in Section 10. |
| | Store in original container tightly closed and in a locked, dry, cool area away from foodstuffs, fertiliser and seed. |
| | Store in accordance with NZS 8409 Management of Agrichemicals |
| | This product is subject to signage and secondary containment when stored in quantities of 1000litres |
| | or more, either alone or in aggregate with substances of the same hazard classification. More than |
| | 1000litres require emergency response plans. For full details refer to NZS 8409 Management of |
| | Agrichemicals and HSWA Regulations. |

Section 8: EXPOSURE CONTROL/PERSONAL PROTECTION

WORKPLACE EXPOSURE STANDARDS (provided for guidance only)

TWA STEL

Substance ppm mg/m³ ppm mg/m³

No ingredients have exposure limits

Workplace Exposure Standard – Time Weighted Average (WES-TWA). The time-weighted average exposure standard designed to protect the worker from the effects of long-term exposure. Workplace Exposure Standard – Short-Term Exposure Limit (WESSTEL). The 15-minute average exposure standard. Applies to any 15- Minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both the short-term and time-weighted average exposures apply. Workplace Exposure Standards and Biological Exposure Indices NOV 2023 14TH EDITION.

| Engineering Controls: | Ensure ventilation is adequate and that airborne levels below exposure limits. If inhalation risk exists |
|-----------------------|--|
| | (dusts, mists, sprays) use process enclosures, local exhaust ventilation or other engineering controls |
| | while wearing suitable mist respirator. Keep containers closed when not in use. |

Personal Protection Equipment: When opening the container, preparing spray and the container of the contain

| Eyes: | When opening the container, preparing spray and when contact with concentrate or solution is likely, wear safety goggles. | |
|--------------|---|--|
| Skin/Hands: | When opening the container, preparing spray and when contact with concentrate or solution is likely, wear chemically resistant gloves, cotton overalls buttoned to the neck and wrist, and boots. | |
| Respiratory: | Not required. | |
| General: | Do not eat, drink or smoke while using this product. Remove protective clothing and wash hands and face before meals and after work. Wash protective clothing daily after work. | |

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

| Appearance | Liquid |
|-------------------------------------|---------------|
| Colour | Red |
| Odour | No odour |
| Odour Threshold | Not available |
| pH | 6.0 – 8.0 |
| Boiling Point | Not available |
| Melting Point | Not available |
| Freezing Point | Not available |
| Flash Point | >96°C |
| Flammability | Not flammable |
| Upper and Lower Explosive Limits | Not available |

Product Name: Assist Easy Red

SDS Prepared by: Technical Compliance Consultants (NZ) Ltd
Date of SDS: 15 April 2024

Tel: 64 9 475 5240 www.techcomp.co.nz

| Vapour Pressure | Not available |
|----------------------------------|---------------------|
| Vapour Density | Not available |
| Specific Gravity | 1.13 |
| Bulk Density | Not available |
| Water Solubility | Soluble |
| Partition Coefficient: | Not available |
| Auto-ignition Temperature | Not available |
| Decomposition Temperature | Not available |
| Kinematic Viscosity | Not available |
| Other Information | Soluble concentrate |

Section 10: STABILITY AND REACTIVITY

| Stability of Substance | When stored appropriately this product should show no significant degradation for 2 years from the date of manufacture. |
|------------------------------------|---|
| Possibility of hazardous reactions | Not available |
| Conditions to Avoid | None known. |
| Incompatible Materials | None known. |
| Hazardous Decomposition | None known. |
| Products | |

Section 11: TOXICOLOGICAL INFORMATION

Acute Effects:

| Swallowed | Harmful if swallowed. LD ₅₀ (rat) 174mg/kg (Rhodamine B) | |
|------------|---|--|
| Dermal | Not applicable. | |
| Inhalation | Not applicable. | |
| Eye | Causes serious eye irritation. | |
| Skin | Not applicable. | |

Chronic Effects:

| Carcinogenicity | Not applicable. | |
|------------------------|---|--|
| Reproductive Toxicity | Not applicable. | |
| Germ Cell Mutagenicity | Not applicable. | |
| Aspiration | Not applicable. | |
| STOT/SE | Not applicable. | |
| STOT/RE | May causes damage to organs through repeated or prolonged exposure. | |

Section 12: ECOLOGICAL INFORMATION

May cause long lasting harmful effects to aquatic life.

Hazardous to soil organisms

Hazardous to terrestrial vertebrates

| Product: | |
|-------------------------------|--|
| Persistence and degradability | No data available. |
| Bioaccumulation | No data available. |
| Mobility in Soil | No data available. |
| Other adverse effects | Avoid unintended release into streams and waterways. |

Ecotoxicity: Acute Toxicity (fish)

 LC_{50} (96 hr) for Gambusa offinis is 58.3 mg/L (Rhodamine B)

Section 13: DISPOSAL INFORMATION

| Disposal Method: | Triple rinse container and add rinsate to the spray tank. Dispose of product only by using in accordance with label directions, or through Agrecovery |
|---------------------------------|--|
| | Chemical Recovery Service or alternative approved programs. |
| Container Disposal: | Triple rinsed containers containing the Agrecovery logo on the label and that are free of all residues and have an intact legible label may be taken to an Agrecovery collection site for free recycling. Otherwise crush and bury in an approved landfill. Do not burn. Do not use container for any other purpose. |
| Precautions or methods to avoid | l: Do not allow product or empty container to contaminate any waterway. |

Product Name: Assist Easy Red

SDS Prepared by: Technical Compliance Consultants (NZ) Ltd
Date of SDS: 15 April 2024

Tel: 64 9 475 5240 www.techcomp.co.nz

Section 14: TRANSPORT INFORMATION

This product is NOT classified as a Dangerous Good for transport in NZ; NZS 5433:2020

Section 15: REGULATORY INFORMATION

| This substance is classified hazardous according to the EPA Hazardous Substances (Classification) Notice 2020 | |
|---|--|
| EPA Approval Code: Additives, Process Chemicals and Raw Materials (subsidiary) – HSR002503 | |

| HSW (HS) Regulations 2017 | Trigger Quantity | |
|--|---|--|
| Signage Trigger Quantities (Schedule 3) | 10 000L | |
| Emergency Response Plan (Schedule 5) | 1000L | |
| Secondary Containment (Schedule 5) | 1000L | |
| Tracking (Schedule 26) | Not required | |
| Certified Handlers | Not required | |
| HSNO Additional Controls (Restrictions of use) | | |
| | None known. | |
| ACVM Act and Regulations | | |
| See www.foodsafety.govt.nz for registration | Exempt from registration under the ACVM Act 1997. | |
| conditions | | |

Section 16: OTHER INFORMATION

Glossary

EC₅₀ Median effective concentration.
 EEL Environmental Exposure Limit.
 EPA Environmental Protection Authority
 HSNO Hazardous Substances and New Organisms.

HSW Health and Safety at Work.

LC50 Lethal concentration that will kill 50% of the test organisms inhaling or ingesting it.

LD₅₀ Lethal dose to kill 50% of test animals/organisms.

LEL Lower explosive level.

OSHA American Occupational Safety and Health Administration.

TEL Tolerable Exposure Limit.

TLV Threshold Limit Value-an exposure limit set by responsible authority.

UEL Upper Explosive Level
WES Workplace Exposure Limit

References:

- 1. EPA Hazardous Substances (Safety Data Sheets) Notice 2017
- 2. Workplace Exposure Standards and Biological Exposure Indices Nov 2023 14th edition.
- 3. Assigning a hazardous substance to a HSNO Approval (Aug 2013).
- 4. Transport of Dangerous goods on land NZS 5433:2020
- 5. HSW (Hazardous Substances) Regulations 2017

Disclaimer

This document has been prepared by TCC (NZ) Ltd and serves as the suppliers Safety Data Sheet ('SDS'). It is based on information concerning the product which has been provided to TCC (NZ) Ltd or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer. While TCC (NZ) have taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, TCC (NZ) Ltd accept no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS

The information herein is given in good faith, but no warranty, express or implied is made.

Please contact Ravensdown, if further information is required.

Issue Date: 15 April 2024 Review Date: 15 April 2029

Product Name: Assist Easy Red

Date of SDS: 15 April 2024

SDS Prepared by: Technical Compliance Consultants (NZ) Ltd

Tel: 64 9 475 5240 www.techcomp.co.nz