## **Safety Data Sheet**



# **Backup**

## **Section 1: SUBSTANCE IDENTIFICATION AND SUPPLIER**

Product Name:	BACKUP
Product Code:	7921026 (200g)
Recommended Use:	Selective herbicide for the control of dock and buttercup in grassland, conservation tillage and cereals.
Restrictions of Use:	Refer to Section 15
Company Identification:	Ravensdown Limited
Address:	292 Main South Road, Hornby, Christchurch, 8042 PO Box 1049, Christchurch 8011
Customer Centre:	0800 100 123
National Poisons Information Centre:	0800 POISON (0800 764 766)
Emergency Phone Number:	0800 CHEMCALL (0800 243 622) (24hr) (Emergencies Only)
Transport Emergency Phone Number:	111 - tell operator what service is needed: Fire, Ambulance or Police
Date of SDS Preparation	15 April 2024 v2

## **Section 2: HAZARD IDENTIFICATION**

This substance is hazardous according to the EPA Hazardous Substances (Classification) Notice 2020

EPA Approval No:	HSR000236
Pictograms:	<b>!</b>
Signal Word:	Warning

GHS Classification and Category	<b>Hazard Code</b>	Hazard Statement
Eye irritation Cat. 2	H319	Causes serious eye irritation.
Hazardous to the aquatic environment acute Cat. 1	H400	Very toxic to aquatic life.
Hazardous to the aquatic environment chronic Cat. 1	H410	Very toxic to aquatic life with long lasting effects.
Hazardous to soil organisms.	H421	Hazardous to soil organisms

<b>Prevention Code</b>	Prevention Statement
P264	Wash hands thoroughly after handling.
P273	Avoid release to the environment.
P280	Wear protective equipment as detailed in Section 8.

Response Code	Response Statement
P101	If medical advice is needed, have product container or label at hand.
P391	Collect spillage.
P305 + P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy
	to do. Continue rinsing.
P337 + P313	If eye irritation persists: Get medical advice/attention.

Storage Code	Storage Statement
None allocated	

Product Name: Backup

SDS Prepared by: Technical Compliance Consultants (NZ) Ltd

Date of SDS: 15 April 2024

Tel: 64 9 475 5240 www.techcomp.co.nz

Disposal Code	Disposal Statement
P501	Dispose of according to Local Regulations or Authorities

## **Section 3: COMPOSITION INFORMATION**

INGREDIENT	CAS No.	CONTENT
Thifensulfuron methyl	79277-27-3	75%
Other ingredients, filler etc	Proprietary	25%

## **Section 4: FIRST AID MEASURES**

Routes of Exposure:	
If in eyes:	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
If on skin:	Remove contaminated clothing and wash affected area thoroughly with soap and water. If a large area is affected: Get medical advice/attention.
If ingested:	Never give anything by mouth to an unconscious person. If swallowed DO NOT induce vomiting. For advice, contact the National Poisons Centre on 0800 POISON (0800 764 766). Seek medical assistance immediately.
If inhaled:	Remove patient to fresh air. Lay down and keep warm and rested. If breathing is shallow or has stopped ensure airway is clear and apply resuscitation. Seek medical assistance immediately.
Most important symp	toms and effects, both acute and delayed
Symptoms:	
Eyes:	Causes serious eye irritation.
Skin:	Not applicable.
Ingested:	Not applicable.
Inhaled:	Not applicable.
Chronic:	Not applicable.
Notes to Doctor:	Treat symptomatically

## **Section 5: FIRE FIGHTING MEASURES**

Hazard Type	Non Flammable
Hazards from combustion products	If involved in a fire may evolve oxides of carbon, nitrogen and Sulphur.
Suitable Extinguishing media	Water fog, foam, carbon dioxide or dry chemical.
Precautions for firefighters and special	Full protective clothing and self-contained breathing apparatus.
protective clothing	
HAZCHEM CODE	2Z

## **Section 6: ACCIDENTIAL RELEASE MEASURES**

## Personal precautions, protective equipment and emergency procedures:

Wear appropriate protective clothing as detailed in Section 8. Exclude non-essential people from the area.

## **Environmental precautions:**

Prevent from entering drains, waterways or sewers. If spill does enter waterways contact local authority.

## Methods and material for containment and cleaning up:

Sweep up solids without generating dust. Contain liquid spill and absorb with inert material such as soil, sand or absorbent granules and place in a sealable waste container. Dispose of waste safely in an approved landfill and of according to Section 13.

## **Section 7: HANDLING AND STORAGE**

Handling:	Avoid contact with skin, eyes and inhalation of spray mist.
	Avoid breathing dust.
	Wash hands thoroughly after handling.
	Avoid release to the environment.
	Wear protective equipment as detailed in Section 8.
	Record Keeping: Records of use as described in NZS 8409 Management of Agrichemicals must be kept
	where more than 3kg of this product is used within 24hrs.
Storage:	Store away from incompatible materials listed in Section 10.
	Store in original container tightly closed and in a locked, dry, cool area away from foodstuffs, fertiliser
	and seed.
	Store in accordance with NZS 8409 Management of Agrichemicals
	This product is subject to signage when stored in quantities of 100kg or more, either alone or in
	aggregate with substances of the same hazard classification. More than 100kg requires emergency
	response plans. For full details refer to NZS 8409 Management of Agrichemicals and HSWA Regulations

Product Name: Backup SDS Prepared by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 15 April 2024

## Section 8: EXPOSURE CONTROL/PERSONAL PROTECTION

## WORKPLACE EXPOSURE STANDARDS (provided for guidance only)

TWA STEL

Substance ppm mg/m<sup>3</sup> ppm mg/m<sup>3</sup>

No ingredients have exposure limits

Personal Protection Equipment

Workplace Exposure Standard – Time Weighted Average (WES-TWA). The time-weighted average exposure standard designed to protect the worker from the effects of long-term exposure. Workplace Exposure Standard – Short-Term Exposure Limit (WESSTEL). The 15-minute average exposure standard. Applies to any 15- Minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both the short-term and time-weighted average exposures apply. Workplace Exposure Standards and Biological Exposure Indices NOV 2023 14<sup>TH</sup> EDITION.

**Engineering Controls:** Handle in well ventilated area. Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below exposure limits. Avoid inhalation of spray mist.

Personal Protection Ed	
Eyes:	When opening the container, preparing spray and when contact with concentrate or solution is likely,
	wear safety goggles.
Skin/Hands:	When opening the container, preparing spray and when contact with concentrate or solution is likely,
	wear waterproof gloves, cotton overalls buttoned to the neck and wrist and boots.
Respiratory:	Not required.
General:	Do not eat, drink or smoke while using this product. Remove protective clothing and wash hands and
	face before meals and after work. Wash protective clothing daily after work.

## **Section 9: PHYSICAL AND CHEMICAL PROPERTIES**

Appearance	Granule
Colour	Off white, beige
Odour	Odourless
Odour Threshold	Not available
рН	4-7 in 1% dispersion
Boiling Point	Not available
Melting Point	Not available
Freezing Point	Not available
Flash Point	No available
Flammability	Not flammable
Upper and Lower Explosive	Not available
Limits	
Vapour Pressure	Not available
Vapour Density	Not available
Specific Gravity	Not available
Density	0.9
Water Solubility	Disperses in water
Partition Coefficient:	Not available
Auto-ignition Temperature	Not available
<b>Decomposition Temperature</b>	Not available
Kinematic Viscosity	Not available
Other information	(WDG) Water Dispersible Granule

## Section 10: STABILITY AND REACTIVITY

Stability of Substance	When stored appropriately this product should show no significant degradation for 2 years from the date of manufacture.	
Possibility of hazardous reactions	Not available.	
Conditions to Avoid	None known.	
Incompatible Materials	Avoid contact with strong oxidising agents.	
<b>Hazardous Decomposition</b>	None known. Refer to Section 5.	
Products		

Product Name: Backup

Date of SDS: 15 April 2024

SDS Prepared by: Technical Compliance Consultants (NZ) Ltd

Tel: 64 9 475 5240 www.techcomp.co.nz

## **Section 11: TOXICOLOGICAL INFORMATION**

#### **Acute Effects:**

Swallowed	Not applicable. LD₅₀ (rat) >5000mg/kg	
Dermal	ot applicable. LD <sub>50</sub> (rabbit) >2000mg/kg	
Inhalation	Not applicable. LC <sub>50</sub> (rat) (4hr) >7.9mg/l air	
Eye	Causes serious eye irritation.	
Skin	Not applicable.	

## **Chronic Effects:**

Carcinogenicity	Not applicable.
Reproductive Toxicity	Not applicable.
Germ Cell Mutagenicity	Not applicable.
Aspiration	Not applicable.
STOT/SE	Not applicable.
STOT/RE	Not applicable.

## **Section 12: ECOLOGICAL INFORMATION**

Very toxic to aquatic life with long lasting effects.

Hazardous to soil organisms

Product:		
Persistence and	Low mobility. Microbial degradation and hydrolysis is the major cause of loss from the soil.	
degradability/Mobility	Half-life in soil is typically 7-35days with breakdown faster in lower soil pH, higher	
	temperatures and increased soil moisture.	
Bioaccumulation	No data available.	
Other adverse effects	Avoid unintended release into streams and waterways.	

**Ecotoxicity:** Acute Toxicity (fish)

LC<sub>50</sub> (bluegill sunfish) (96hr) >1000mg/l LC<sub>50</sub> (rainbow trout) (96hr) >1000mg/l

## **Section 13: DISPOSAL INFORMATION**

Disposal Method:		Triple rinse container and add rinsate to the spray tank.
		Dispose of product only by using in accordance with label directions, or through Agrecovery
		Chemical Recovery Service or alternative approved programs.
Container Disposal:	AGRECOVERY	Triple rinsed containers containing the Agrecovery logo on the label and that are free of all residues and have an intact legible label may be taken to an Agrecovery collection site for free recycling. Otherwise crush and bury in an approved landfill. Do not burn. Do not use container for any other purpose.
Precautions or metho	ds to avoid:	Do not allow product or empty container to contaminate any waterway.

## **Section 14: TRANSPORT INFORMATION**

This product is classified as a Dangerous Good for transport in NZ; NZS 5433:2020





## Road, Rail, Sea and Air Transport

UN No	3077	
Class - Primary	9	
Packing Group		
Proper Shipping Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (thifensulfuron methyl 75%)	
Marine Pollutant	Yes	
Special Provisions	If the product's individual container is below 5kg, it can be transported as a non-DG as long as the product packaging is still labelled as per DG requirements and the driver is given safety information in accordance with Chapter 3.4 of the UNRTDG.  Additional Information:	
	Do not carry more than 3kg of BACKUP on a passenger service vehicle	

Product Name: Backup
Date of SDS: 15 April 2024

SDS Prepared by: Technical Compliance Consultants (NZ) Ltd
Tel: 64 9 475 5240 www.techcomp.co.nz

## Section 15: REGULATORY INFORMATION

This substance is classified hazardous according to the EPA Hazardous Substances (Classification) Notice 2020	
EPA Approval Code:	HSR000236

HSW (HS) Regulations 2017	Trigger Quantity	
Signage Trigger Quantities (Schedule 3)	100 kg	
Emergency Response Plan (Schedule 5)	100 kg	
Secondary Containment (Schedule 5)	100 kg	
Tracking (Schedule 26)	Not required	
Certified Handlers	Not required	
HSNO Additional Controls (Restrictions of use)		
77A -	The substance must not be applied onto or into water.	
ACVM Act and Regulations		
See <u>www.foodsafety.govt.nz</u> for registration conditions	P8044	

## **Section 16: OTHER INFORMATION**

## Glossary

EC<sub>50</sub> Median effective concentration.
 EEL Environmental Exposure Limit.
 EPA Environmental Protection Authority
 HSNO Hazardous Substances and New Organisms.

HSW Health and Safety at Work.

LC<sub>50</sub> Lethal concentration that will kill 50% of the test organisms inhaling or ingesting it.

LD<sub>50</sub> Lethal dose to kill 50% of test animals/organisms.

LEL Lower explosive level.

OSHA American Occupational Safety and Health Administration.

TEL Tolerable Exposure Limit.

TLV Threshold Limit Value-an exposure limit set by responsible authority.

UEL Upper Explosive Level WES Workplace Exposure Limit

#### References:

- 1. EPA Hazardous Substances (Safety Data Sheets) Notice 2017
- 2. Workplace Exposure Standards and Biological Exposure Indices Nov 2023 14th edition.
- 3. Assigning a hazardous substance to a HSNO Approval (Aug 2013).
- 4. Transport of Dangerous goods on land NZS 5433:2020
- HSW (Hazardous Substances) Regulations 2017

#### Disclaimer

This document has been prepared by TCC (NZ) Ltd and serves as the suppliers Safety Data Sheet ('SDS'). It is based on information concerning the product which has been provided to TCC (NZ) Ltd or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer. While TCC (NZ) have taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, TCC (NZ) Ltd accept no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS

The information herein is given in good faith, but no warranty, express or implied is made.

Please contact Ravensdown, if further information is required.

Issue Date: 15 April 2024 Review Date: 15 April 2029

Product Name: Backup

Date of SDS: 15 April 2024

SDS Prepared by: Technical Compliance Consultants (NZ) Ltd

Tel: 64 9 475 5240 www.techcomp.co.nz