Safety Data Sheet



Dicam 480

Section 1: SUBSTANCE IDENTIFICATION AND SUPPLIER

Product Name:	DICAM 480
Product Code:	7958188 (5 Litres) 7985190 (20 Litres)
Recommended Use:	Selective herbicide for the control of broadleaf weeds in pasture, cereals, maize, certain forage brassicas and non-cropped areas.
Restrictions of Use:	Refer to Section 15
Company Identification:	Ravensdown Limited
Address:	292 Main South Road, Hornby, Christchurch, 8042 PO Box 1049, Christchurch 8011
Customer Centre:	0800 100 123
National Poisons Information Centre:	0800 POISON (0800 764 766)
Emergency Phone Number:	0800 CHEMCALL (0800 243 622) (24hr) (Emergencies Only)
Transport Emergency Phone Number:	111 - tell operator what service is needed: Fire, Ambulance or Police
Date of SDS Preparation	15 April 2024 v2

Section 2: HAZARD IDENTIFICATION

This substance is hazardous according to the EPA Hazardous Substances (Classification) Notice 2020

EPA Approval No:	HSR000442
Pictograms:	
Signal Word:	Warning

GHS Classification and Category	Hazard Code	Hazard Statement
Skin irritation Cat. 2	H315	Causes skin irritation.
Eye irritation Cat. 2	H319	Causes serious eye irritation.
Specific target organ toxicity – repeated exposure Cat. 2	H373	May cause damage to organs through prolonged or repeated exposure.
Hazardous to the aquatic environment acute Cat. 1	H400	Very toxic to aquatic life.
Hazardous to the aquatic environment chronic Cat. 1	H410	Very toxic to aquatic life with long lasting effects.
Hazardous to soil organisms.	H421	Hazardous to soil organisms.
Hazardous to terrestrial vertebrates.	H432	Hazardous to terrestrial vertebrates.
Hazardous to terrestrial invertebrates.	H442	Hazardous to terrestrial invertebrates.

Prevention Code	Prevention Statement
P103	Read carefully and follow all instructions.
P260	Do not breathe fumes, vapours or spray.
P264	Wash hands thoroughly after handling.
P273	Avoid release to the environment [if this is not the intended use].
P280	Wear protective clothing [as detailed in SDS Section 8].

Response Code	Response Statement
P101	If medical advice is needed, have product container or label at hand.
P314	Get medical advice/attention if you feel unwell.
P391	Collect spillage.

Product Name: Dicam 480 Date of SDS: 15 April 2024 Tel: 64 9 475 5240 www.techcomp.co.nz

Page ${\bf 1}$ of ${\bf 6}$

P302 + P352	IF ON SKIN: Wash with plenty of water.
P305 + P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to
P303 + P331+P336	do. Continue rinsing.
P332 + P313	If skin irritation occurs: Get medical advice/ attention.
P337 + P313	If eye irritation persists: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash before reuse.

None allocated	

Disposal Code	Disposal Statement
P501	Dispose of according to Local Regulations or Authorities

Section 3: COMPOSITION INFORMATION

INGREDIENT	CAS No.	CONTENT
Dicamba (dimethylamine salt)	1918-00-9	48%
Non hazardous materials		Too Volume

Section 4: FIRST AID MEASURES

Routes of Exposure:		
If in eyes:	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.	
	Continue rinsing. If eye irritation persists: Get medical advice/attention.	
If on skin:	Take off contaminated clothing and wash before re-use. Wash skin with plenty of soap and water. If skin	
	irritation occurs: Get medical advice/attention.	
If ingested:	Never give anything by mouth to an unconscious person. If swallowed DO NOT induce vomiting. For advice, contact the National Poisons Centre on 0800 POISON (0800 764 766). Seek medical assistance immediately.	
If inhaled:	Remove patient to fresh air. Lay down and keep warm and rested. If breathing is shallow or has stopped ensure airway is clear and apply resuscitation. Seek medical assistance immediately.	
Most important symptoms and effects, both acute and delayed		
Symptoms:	·	
Eyes:	Causes serious eye irritation.	
Skin:	Causes skin irritation.	
Ingested:	Not applicable.	
Inhaled:	Not applicable.	
Chronic:	May cause damage to organs through prolonged or repeated exposure.	
Notes to Doctor:	Treat symptomatically.	

Section 5: FIRE FIGHTING MEASURES

Hazard Type	Non Flammable
Hazards from combustion products	If involved in a fire, may evolve toxic fumes of hydrogen chloride.
Suitable Extinguishing media	Water fog, foam, carbon dioxide or dry chemical.
Precautions for firefighters and	Full protective clothing and self-contained breathing apparatus.
special protective clothing	
HAZCHEM CODE	3Z

Section 6: ACCIDENTIAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:

Wear appropriate protective clothing as detailed in Section 8. Exclude non-essential people from the area.

Environmental precautions:

Prevent from entering drains, waterways or sewers. If spill does enter waterways contact local authority.

Methods and material for containment and cleaning up:

Contain spill and absorb with inert material such as soil, sand or absorbent granules and place in a sealable waste container. Dispose of waste safely in an approved landfill. Dispose of according to Section 13.

Section 7: HANDLING AND STORAGE

Handling:	Read carefully and follow all instructions.
	Do not breathe fumes, vapours or spray.
	Wash hands thoroughly after handling.
	Avoid release to the environment [if this is not the intended use].

Product Name: Dicam 480 SDS Prepared by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 15 April 2024 Tel: 64 9 475 5240 www.techcomp.co.nz

Wear protective clothing [as detailed in SDS Section 8]. Avoid contact with skin, eyes and inhalation of spray mist. Do not eat, drink or smoke when using this product. Avoid release to the environment. Wear protective clothing as detailed in Section 8. Record Keeping: Records of use as described in NZS 8409 Management of Agrichemicals must be kept. Keep out of reach of children. Storage: Store away from incompatible materials listed in Section 10. Store in original container tightly closed and in a locked, dry, cool area away from foodstuffs, fertiliser and seed Store in accordance with NZS 8409 Management of Agrichemicals This product is subject to signage and secondary containment when stored in quantities of 100litres or more, either alone or in aggregate with substances of the same hazard classification. More than 100litres require emergency response plans. For full details refer to NZS 8409 Management of Agrichemicals and **HSWA Regulations**

Section 8: EXPOSURE CONTROL/PERSONAL PROTECTION

WORKPLACE EXPOSURE STANDARDS (provided for guidance only)

TWA STEL

Substance ppm mg/m³ ppm mg/m³

No ingredients have exposure limits.

Workplace Exposure Standard – Time Weighted Average (WES-TWA). The time-weighted average exposure standard designed to protect the worker from the effects of long-term exposure. Workplace Exposure Standard – Short-Term Exposure Limit (WESSTEL). The 15-minute average exposure standard. Applies to any 15- Minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both the short-term and time-weighted average exposures apply. Workplace Exposure Standards and Biological Exposure Indices NOV 2023 14TH EDITION.

Engineering
Controls:

Handle in well ventilated area. Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below exposure limits. Avoid inhalation of spray mist.

Personal Protection Equipment:









When opening the container, preparing spray and when contact with concentrate or solution is likely, wear safety goggles.

Skin (Hands)

When opening the container preparing spray and when contact with concentrate or solution is likely.

Skin/Hands: When opening the container, preparing spray and when contact with concentrate or solution is likely, wear waterproof gloves, cotton overalls buttoned to the neck and wrist, and boots.

Respiratory: Not required.

General: Do not eat, drink or smoke while using this product. Remove protective clothing and wash hands and face before meals and after work. Wash protective clothing daily after work.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Liquid
Colour	Clear amber
Odour	Mild amine odour
Odour Threshold	Not available
рН	7.5
Boiling Point	Not available
Melting Point	Not available
Freezing Point	Not available
Flash Point	Not available
Flammability	Not available
Upper and Lower Explosive Limits	Not available
Vapour Pressure	Not available
Vapour Density	Not available
Specific Gravity	1.15
Bulk Density	Not available
Water Solubility	Soluble in water
Partition Coefficient:	Not available
Auto-ignition Temperature	Not available

Product Name: Dicam 480 Date of SDS: 15 April 2024 SDS Prepared by: Technical Compliance Consultants (NZ) Ltd Tel: 64 9 475 5240 www.techcomp.co.nz

Decomposition Temperature	Not available
Kinematic Viscosity	Not available
Particle Characteristics	Not available
Other information	(SL) Soluble Liquid

Section 10: STABILITY AND REACTIVITY

Stability of Substance	When stored appropriately this product should show no significant degradation for 2 years from the date of manufacture.
Possibility of hazardous reactions	Not available.
Conditions to Avoid	None known.
Incompatible Materials	Avoid contact with strong acids and alkali materials. Keep away from strong oxidizing agents.
Hazardous Decomposition Products	None known. Refer to Section 5.

Section 11: TOXICOLOGICAL INFORMATION

Acute Effects:

toute Encous.	
Swallowed	Not applicable. LD ₅₀ (rat) 1707mg/kg (dicamba). Amounts swallowed incidental to normal
	handling are unlikely to cause injury.
Dermal	Not applicable. LD ₅₀ (rabbit) >2000mg/kg (dicamba).
Inhalation	Not triggered. LC ₅₀ (rat) (4hr) >9.6mg/lt (dicamba)
	Not a likely route of exposure when handling the concentrate. When applying this product
	avoid inhalation of spray mist.
Eye	Causes serious eye irritation.
Skin	Causes skin irritation.

Chronic Effects:

Carcinogenicity	Not applicable.
Reproductive Toxicity	Not applicable.
Germ Cell Mutagenicity	Not applicable.
Aspiration	Not applicable.
STOT/SE	Not applicable.
STOT/RE	May causes damage to organs through repeated or prolonged exposure. Excessive exposure may have adverse effects on liver. Other symptoms include mytoxic muscular spasms, urinary incontinence, dynspnea, cyanosis and exhaustion.

Section 12: ECOLOGICAL INFORMATION

Very toxic to aquatic life with long lasting effects.	
Hazardous to soil organisms.	
Hazardous to terrestrial vertebrates.	
Hazardous to terrestrial invertebrates.	

Product:

Persistence and degradability	Microbial degradation is the major cause of loss from the soil.	
	Average half-life 14days	
Bioaccumulation	No data available.	
Mobility in Soil	No data available.	
Other adverse effects	Avoid unintended release into streams and waterways.	

Ecotoxicity: Acute Toxicity (fish) (dicamba)

LC₅₀ (rainbow trout) (96hr) 135mg/l

Acute Toxicity (daphnia) (dicamba)

LC₅₀ (48hr) 110mg/l

Very toxic to fish and other aquatic organisms

Acute Toxicity (bees) (dicamba)

LD₅₀ >100ug/bee

Non-toxic to bees

Section 13: DISPOSAL INFORMATION

Product Name: Dicam 480 SDS Prepared by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 15 April 2024 Tel: 64 9 475 5240 www.techcomp.co.nz

Disposal Method:

Triple rinse container and add rinsate to the spray tank.

Dispose of product only by using in accordance with label directions, or through Agrecovery Chemical Recovery Service or alternative approved programs.

Triple rinsed containers containing the Agrecovery logo on the label and that are free of all residues and have an intact legible label may be taken to an Agrecovery collection site for free recycling. Otherwise crush and bury in an approved landfill. Do not burn. Do not use container for any other purpose.

Do not allow product or empty container to contaminate any waterway.

Section 14: TRANSPORT INFORMATION

This product is classified as a Dangerous Good for transport in NZ; NZS 5433:2020





Precautions or methods to avoid:

Road, Rail, Sea and Air Transport

UN No	3082	
Class - Primary	9	
Packing Group	III	
Proper Shipping Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (DICAMBA 48%)	
Marine Pollutant	Yes	
Special Provisions	If the product's individual container is below 5L, it can be transported as a non-DG as long as the product packaging is still labelled as per DG requirements and the driver is given safety information in accordance with Chapter 3.4 of the UNRTDG.	

Section 15: REGULATORY INFORMATION

This substance is classified hazardous according to the EPA Hazardous Substances (Classification) Notice 2020	
EPA Approval Code: HSR000442	

HSW (HS) Regulations 2017	Trigger Quantity	
Signage Trigger Quantities (Schedule 3)	100L	
Emergency Response Plan (Schedule 5)	100L	
Secondary Containment (Schedule 5)	100L	
Tracking (Schedule 26)	Not required	
Certified Handlers	Not required	
HSNO Additional Controls (Restrictions of use)		
77A -	The substance must not be applied onto or into water.	
ACVM Act and Regulations		
See <u>www.foodsafety.govt.nz</u> for registration conditions	P7347	

Section 16: OTHER INFORMATION

Glossary

EC₅₀ Median effective concentration.

EEL Environmental Exposure Limit.

EPA Environmental Protection Authority

HSNO Hazardous Substances and New Organisms.

HSW Health and Safety at Work.

LC₅₀ Lethal concentration that will kill 50% of the test organisms inhaling or ingesting it.

LD₅₀ Lethal dose to kill 50% of test animals/organisms.

LEL Lower explosive level.

OSHA American Occupational Safety and Health Administration.

TEL Tolerable Exposure Limit.

TLV Threshold Limit Value-an exposure limit set by responsible authority.

UEL Upper Explosive Level
WES Workplace Exposure Limit

References:

- 1. EPA Hazardous Substances (Safety Data Sheets) Notice 2017
- 2. Workplace Exposure Standards and Biological Exposure Indices Nov 2023 14th edition.
- 3. Assigning a hazardous substance to a HSNO Approval (Aug 2013).
- 4. Transport of Dangerous goods on land NZS 5433:2020
- 5. HSW (Hazardous Substances) Regulations 2017

SDS Prepared by: Technical Compliance Consultants (NZ) Ltd

Tel: 64 9 475 5240 www.techcomp.co.nz

Product Name: Dicam 480 Date of SDS: 15 April 2024

Disclaimer

This document has been prepared by TCC (NZ) Ltd and serves as the suppliers Safety Data Sheet ('SDS'). It is based on information concerning the product which has been provided to TCC (NZ) Ltd or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer. While TCC (NZ) have taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, TCC (NZ) Ltd accept no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS

The information herein is given in good faith, but no warranty, express or implied is made.

Please contact Ravensdown, if further information is required.

Issue Date: 15 April 2024 Review Date: 15 April 2029

Product Name: Dicam 480 SDS Prepared by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 15 April 2024 Tel: 64 9 475 5240 www.techcomp.co.nz