# **Safety Data Sheet**



# **Eliminate Brushkiller**

# Section 1: SUBSTANCE IDENTIFICATION AND SUPPLIER

Product Name:	ELIMINATE BRUSHKILLER	
Product Code:	7925090 (20Lt) 7925093 (200Lt)	
Recommended Use:	Selective herbicide for the control of brushweeds and spot treatment of many broadleaf weeds.	
Restrictions of Use:	Refer to Section 15	
Company Identification:	Ravensdown Limited	
Address:	292 Main South Road, Hornby, Christchurch, 8042 PO Box 1049, Christchurch 8011	
Customer Centre:	0800 100 123	
National Poisons Information Centre:	0800 POISON (0800 764 766)	
Emergency Phone Number:	0800 CHEMCALL (0800 243 622) (24hr) (Emergencies Only)	
Transport Emergency Phone Number:	: 111 - tell operator what service is needed: Fire, Ambulance or Police	
Date of SDS Preparation	22 April 2024 v2	

# **Section 2: HAZARD IDENTIFICATION**

This substance is hazardous according to the EPA Hazardous Substances (Classification) Notice 2020

EPA Approval No:	HSR002485
Pictograms:	
Signal Word:	Warning

<b>GHS Classification and Category</b>	Hazard Code	Hazard Statement
Acute oral toxicity Cat. 4	H302	Harmful if swallowed.
Eye irritation Cat. 2	H319	Causes serious eye irritation.
Skin sensitisation Cat. 1	H317	May cause an allergic skin reaction.
Specific target organ toxicity – repeated exposure Cat. 2	Н373	May cause damage to organs through prolonged or repeated exposure.
Hazardous to the aquatic environment acute Cat. 1	H400	Very toxic to aquatic life.
Hazardous to the aquatic environment chronic Cat. 1	H410	Very toxic to aquatic life with long lasting effects.
Hazardous to soil organisms.	H421	Hazardous to soil organisms.
Hazardous to terrestrial vertebrates.	H433	Hazardous to terrestrial vertebrates.

<b>Prevention Code</b>	Prevention Statement
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.
P260	Do not breathe fumes, vapours and spray.
P264	Wash hands thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.

Product Name: Eliminate Brushkiller

SDS Prepared by: Technical Compliance Consultants (NZ) Ltd
Date of SDS: 22 April 2024

Tel: 64 9 475 5240 www.techcomp.co.nz

P280 Wear protective clothing as detailed in Section 8.	
Response Code Response Statement	
P101	If medical advice is needed, have product container or label at hand.
P314	Get medical advice/attention if you feel unwell.
P330	Rinse mouth.
P391	Collect spillage.
P301 + P312	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
P302 + P352	IF ON SKIN: Wash with plenty of water.
P305 + P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P333 + P313	If skin irritation or rash occurs: Get medical advice/attention.
P337 + P313	If eye irritation persists: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash before reuse.
Storage Code	Storage Statement

Storage Code	Storage Statement
None allocated	

Disposal Code	Disposal Statement
P501	Dispose of according to Local Regulations or Authorities

# **Section 3: COMPOSITION INFORMATION**

INGREDIENT	CAS No.	CONTENT
Triclopyr (present as the butoxyethyl ester)	64700-56-7	30%
Picloram ( present as the amine salt)	1918-02-1	10%
Diethylene glycol monobutyl ether	112-34-5	30-40%
Non hazardous materials		20-30%

# **Section 4: FIRST AID MEASURES**

Routes of Exposure:	
If in eyes:	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
	Continue rinsing. If eye irritation persists: Get medical advice/attention.
If on skin:	Remove contaminated clothing and wash affected area thoroughly with soap and water. If skin
	irritation or rash occurs: Get medical advice/attention.
If ingested:	Never give anything by mouth to an unconscious person. If swallowed DO NOT induce vomiting. For advice, contact the National Poisons Centre on 0800 POISON (0800 764 766). Seek medical assistance immediately.
If inhaled:	Remove patient to fresh air. Lay down and keep warm and rested. If breathing is shallow or has
	stopped ensure airway is clear and apply resuscitation. Seek medical assistance immediately.
Most important symp	toms and effects, both acute and delayed
Symptoms:	
Eyes:	Causes serious eye irritation.
Skin:	May cause an allergic skin reaction.
Ingested:	Harmful if swallowed. Amounts as single exposure swallowed incidental to normal handling are unlikely
_	to cause injury. Ingestion of relatively large amounts can result in headaches, nausea, lethargy, motor
	weakness and lack of co-ordination.
Inhaled:	Not applicable.
Chronic:	May cause damage to organs through prolonged or repeated exposure.
Notes to Doctor:	Treat symptomatically.

# **Section 5: FIRE FIGHTING MEASURES**

Hazard Type	Non Flammable
Hazards from combustion products	If involved in a fire, toxic fumes may be emitted.
Suitable Extinguishing media	Water fog, foam, carbon dioxide or dry chemical.
Precautions for firefighters and special	Full protective clothing and self-contained breathing apparatus.
protective clothing	
HAZCHEM CODE	3Z

# **Section 6: ACCIDENTIAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures:

Product Name: Eliminate Brushkiller

SDS Prepared by: Technical Compliance Consultants (NZ) Ltd

Date of SDS: 22 April 2024

Tel: 64 9 475 5240 <a href="https://www.techcomp.co.nz">www.techcomp.co.nz</a>

Wear appropriate protective clothing as detailed in Section 8. Exclude non-essential people from the area.

#### **Environmental precautions:**

Prevent from entering drains, waterways or sewers. If spill does enter waterways contact local authority.

#### Methods and material for containment and cleaning up:

Contain spill and absorb with inert material such as soil, sand or absorbent granules and place in a sealable waste container. Dispose of waste safely in an approved landfill. Dispose of according to Section 13.

## **Section 7: HANDLING AND STORAGE**

Handling:	Read carefully and follow all instructions.
	Avoid contact with skin, eyes and inhalation of spray mist.
	Do not breathe fumes, vapours and spray.
	Wash hands thoroughly after handling.
	Do not eat, drink or smoke when using this product.
	Contaminated work clothing should not be allowed out of the workplace.
	Avoid release to the environment.
	Wear protective clothing as detailed in Section 8.
	Record Keeping: Records of use as described in NZS 8409 Management of Agrichemicals must be kept .
Storage:	Keep out of reach of children.
	Store away from incompatible materials listed in Section 10.
	Store in original container tightly closed and in a locked, dry, cool area away from foodstuffs, fertiliser and seed.
	Store in accordance with NZS 8409 Management of Agrichemicals
	This product is subject to signage and secondary containment when stored in quantities of 100litres or
	more, either alone or in aggregate with substances of the same hazard classification. More than
	100litres require emergency response plans. For full details refer to NZS 8409 Management of
	Agrichemicals and HSWA Regulations

#### Section 8: EXPOSURE CONTROL/PERSONAL PROTECTION

WORKPLACE EXPOSURE STANDARDS (provided for guidance only)

 TWA
 STEL

 Substance
 ppm
 mg/m³
 ppm
 mg/m³

 Picloram
 [1918-02-1]
 10

Workplace Exposure Standard – Time Weighted Average (WES-TWA). The time-weighted average exposure standard designed to protect the worker from the effects of long-term exposure. Workplace Exposure Standard – Short-Term Exposure Limit (WESSTEL). The 15-minute average exposure standard. Applies to any 15- Minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both the short-term and time-weighted average exposures apply. Workplace Exposure Standards and Biological Exposure Indices NOV 2023 14<sup>TH</sup> EDITION.

**Engineering Controls:** Handle in well ventilated area, natural ventilation is normally adequate. Avoid inhalation of spray mist.

# Personal Protection Equipment: When opening the container, preparing spray and when contact with concentrate or solution is likely, wear safety goggles. Skin/Hands: When opening the container, preparing spray and when contact with concentrate or solution is likely, wear chemically resistant gloves, cotton overalls buttoned to the neck and wrist, and boots. Respiratory: Not required. General: Do not eat, drink or smoke while using this product. Remove protective clothing and wash hands and face before meals and after work. Wash protective clothing daily after work.

#### **Section 9: PHYSICAL AND CHEMICAL PROPERTIES**

Appearance	Liquid
Colour	Clear brown
Odour	Faint solvent odour
Odour Threshold	Not available
pH	3.0 – 5.0
Boiling Point	Not available
Melting Point	Not available

Product Name: Eliminate Brushkiller Date of SDS: 22 April 2024 SDS Prepared by: Technical Compliance Consultants (NZ) Ltd Tel: 64 9 475 5240 www.techcomp.co.nz

Not available
Not available
1.13
Not available
Emulsifies in water
Not available
(EC) Emulsifiable concentrate

# Section 10: STABILITY AND REACTIVITY

Stability of Substance	When stored appropriately this product should show no significant degradation for 2 years from the date of manufacture.	
Possibility of hazardous reactions	Not available.	
Conditions to Avoid	None known.	
Incompatible Materials	Avoid contact with strong acids and oxidising agents.	
Hazardous Decomposition	None known.	
Products		

# **Section 11: TOXICOLOGICAL INFORMATION**

### **Acute Effects:**

Swallowed	Harmful if swallowed. LD <sub>50</sub> (rat) 803mg/kg for triclopyr butoxyethyl ester, 1061mg/Kg for picloram. Amounts as single exposure swallowed incidental to normal handling are unlikely to cause injury. Ingestion of relatively large amounts can result in headaches,
	nausea, lethargy, motor weakness and lack of co-ordination.
Dermal	Not triggered. LD <sub>50</sub> (rabbit) >2000mg/kg for triclopyr butoxyethyl ester
Inhalation	Not triggered.LC <sub>50</sub> (rat) (4hr) >4.8mg/l for triclopyr butoxyethyl ester, >0.035mg/L for picloram. Solvent content in the concentrate may cause irritation of the eyes and respiratory tract. When applying this product avoid inhalation of spray mist.
Eye	Causes serious eye irritation.
Skin	May cause an allergic skin reaction.

#### **Chronic Effects:**

Carcinogenicity	Not applicable.	
Reproductive Toxicity	Not applicable.	
Germ Cell Mutagenicity	Not applicable.	
Aspiration	Not applicable.	
STOT/SE	Not applicable.	
STOT/RE	May causes damage to organs through repeated or prolonged exposure. Excessive	
	exposure may have adverse effects on liver and kidneys.	

# Section 12: ECOLOGICAL INFORMATION

Very toxic to aquatic life with long lasting effects.

Hazardous to soil organisms.

Hazardous to terrestrial vertebrates.

#### Product:

r i ouuct.	
Persistence and degradability	Rapidly hydrolysed to triclopyr acid in soil and water. Triclopyr has a half-life of approximately 40 days depending on temperature and soil type. Leaching may be possible on light soils with high rainfall. Picloram is relatively persistent in the soil with
	an estimated average half-life of 90 days. Picloram is relatively mobile in the soil.
Bioaccumulation	Triclopyr is excreted via the urinary system as the unchanged compound. Unlikely to
	bioaccumulate. Picloram does not bioaccumulate in organisms.

Product Name: Eliminate Brushkiller

SDS Prepared by: Technical Compliance Consultants (NZ) Ltd

Date of SDS: 22 April 2024

Tel: 64 9 475 5240 <a href="https://www.techcomp.co.nz">www.techcomp.co.nz</a>

Mobility in Soil	No data available.
Other adverse effects	Avoid unintended release into streams and waterways.

**Ecotoxicity:** Acute Toxicity (fish)

LC<sub>50</sub> (bluegill sunfish) (96hr) 0.39mg/l (triclopyr butoxyethyl ester), 39.9mgae/L (picloram) LC<sub>50</sub> (rainbow trout) (96hr) 0.65mg/l (triclopyr butoxyethyl ester), 13.7mgae/L (picloram)

**Acute Toxicity (daphnia)** 

LC<sub>50</sub> (48hr) 12mg/l (triclopyr butoxyethyl ester), EC<sub>50</sub> 68.5mgae/L (picloram)

Very toxic to fish and other aquatic organisms

Acute toxicity to birds

LD<sub>50</sub> (bobtail quail) 735mg/kg (triclopyr), LD<sub>50</sub> (mallard duck) >2510mgae/L (picloram)

Not toxic to birds

Acute toxicity (bees)

LD<sub>50</sub> >100μg/bee (triclopyr), >100μg/bee (picloram)

Not toxic to bees

### **Section 13: DISPOSAL INFORMATION**

Disposal Method:	Triple rinse container and add rinsate to the spray tank.  Dispose of product only by using in accordance with label directions, or through Agrecovery Chemical Recovery Service or alternative approved programs.
Container Disposal:	Triple rinsed containers containing the Agrecovery logo on the label and that are free of all residues and have an intact legible label may be taken to an Agrecovery collection site for free recycling. Otherwise crush and bury in an approved landfill. Do not burn. Do not use container for any other purpose.
Precautions or methods to avoid:	Do not allow product or empty container to contaminate any waterway.

# **Section 14: TRANSPORT INFORMATION**

This product is classified as a Dangerous Good for transport in NZ; NZS 5433:2020





#### Road, Rail, Sea and Air Transport

toda, man, oca ama zin man	<u> </u>	
UN No	3082	
Class - Primary	9	
Packing Group	III	
<b>Proper Shipping Name</b>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (triclopyr 30%, picloram 10%)	
Marine Pollutant	Yes	
Special Provisions	If the product's individual container is below 5L, it can be transported as a non-DG as long as the product packaging is still labelled as per DG requirements and the driver is given safety information in accordance with Chapter 3.4 of the UNRTDG.	

# **Section 15: REGULATORY INFORMATION**

This substance is classified hazardous according to the EPA Hazardous Substances (Classification) Notice 2020		
EPA Approval Code:	HSR002485	

HSW (HS) Regulations 2017	Trigger Quantity	
Signage Trigger Quantities (Schedule 3)	100L	
Emergency Response Plan (Schedule 5)	100L	
Secondary Containment (Schedule 5)	100L	
Tracking (Schedule 26)	Not required	
Certified Handlers	Not required	
HSNO Additional Controls (Restrictions of use)		
77A -	The substance must not be applied onto or into water.	
ACVM Act and Regulations		
See www.foodsafety.govt.nz for registration condition	s <b>P8397</b>	

## **Section 16: OTHER INFORMATION**

Product Name: Eliminate Brushkiller

SDS Prepared by: Technical Compliance Consultants (NZ) Ltd
Date of SDS: 22 April 2024

Tel: 64 9 475 5240 www.techcomp.co.nz

#### Glossarv

EC<sub>50</sub> Median effective concentration.
EEL Environmental Exposure Limit.
EPA Environmental Protection Authority

HSNO Hazardous Substances and New Organisms.

HSW Health and Safety at Work.

LC<sub>50</sub> Lethal concentration that will kill 50% of the test organisms inhaling or ingesting it.

LD<sub>50</sub> Lethal dose to kill 50% of test animals/organisms.

LEL Lower explosive level.

OSHA American Occupational Safety and Health Administration.

TEL Tolerable Exposure Limit.

TLV Threshold Limit Value-an exposure limit set by responsible authority.

UEL Upper Explosive Level
WES Workplace Exposure Limit

#### References:

1. EPA Hazardous Substances (Safety Data Sheets) Notice 2017

- 2. Workplace Exposure Standards and Biological Exposure Indices Nov 2023 14th edition.
- 3. Assigning a hazardous substance to a HSNO Approval (Aug 2013).
- 4. Transport of Dangerous goods on land NZS 5433:2020
- 5. HSW (Hazardous Substances) Regulations 2017

#### Disclaimer

This document has been prepared by TCC (NZ) Ltd and serves as the suppliers Safety Data Sheet ('SDS'). It is based on information concerning the product which has been provided to TCC (NZ) Ltd or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer. While TCC (NZ) have taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, TCC (NZ) Ltd accept no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS

The information herein is given in good faith, but no warranty, express or implied is made.

Please contact Ravensdown, if further information is required.

Issue Date: 22 April 2024 Review Date: 22 April 2029

Product Name: Eliminate Brushkiller

SDS Prepared by: Technical Compliance Consultants (NZ) Ltd

Date of SDS: 22 April 2024

Tel: 64 9 475 5240 www.techcomp.co.nz