Safety Data Sheet



Granit

Section 1: SUBSTANCE IDENTIFICATION AND SUPPLIER

Product Name:	GRANIT
Product Code:	7959029 (500g) 7959001 (1kg)
Recommended Use:	Selective herbicide for the control of certain broadleaf weeds in grassland, conservation tillage and cereals weeds.
Restrictions of Use:	Refer to Section 15
Company Identification:	Ravensdown Limited
Address:	292 Main South Road, Hornby, Christchurch, 8042 PO Box 1049, Christchurch 8011
Customer Centre:	0800 100 123
National Poisons Information Centre:	0800 POISON (0800 764 766)
Emergency Phone Number:	0800 CHEMCALL (0800 243 622) (24hr) (Emergencies Only)
Transport Emergency Phone Number:	111 - tell operator what service is needed: Fire, Ambulance or Police
Date of SDS Preparation	22 April 2024 v2

Section 2: HAZARD IDENTIFICATION

This substance is hazardous according to the EPA Hazardous Substances (Classification) Notice 2020

EPA Approval No:	HSR000234
Pictograms:	
Signal Word:	Warning

GHS Classification and Category	Hazard Code	Hazard Statement
Eye irritation Cat. 2	H319	Causes serious eye irritation.
Skin sensitisation Cat. 1	H317	May cause an allergic skin reaction.
Specific target organ toxicity – repeated exposure Cat. 2	H373	May cause damage to organs through prolonged or repeated exposure.
Hazardous to the aquatic environment acute Cat. 1	H400	Very toxic to aquatic life.
Hazardous to the aquatic environment chronic Cat. 1	H410	Very toxic to aquatic life with long lasting effects.
Hazardous to soil organisms.	H421	Hazardous to soil organisms.

Prevention Code	Prevention Statement
P103	Read carefully and follow all instructions.
P260	Do not breathe dust.
P264	Wash hands thoroughly after handling.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective clothing as detailed in Section 8.

Response Code	Response Statement	
P101	If medical advice is needed, have product container or label at hand.	
P314	Get medical advice/attention if you feel unwell.	
P391	Collect spillage.	

P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P305 + P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy
P303 + P331+P330	to do. Continue rinsing.
P333 + P313	If skin irritation or rash occurs: Get medical advice/attention.
P337 + P313	If eye irritation persists: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash before reuse.

Storage Code	Storage Statement
None allocated	

Disposal Code	Disposal Statement
P501	Dispose of according to Local Regulations or Authorities

Section 3: COMPOSITION INFORMATION

INGREDIENT	CAS No.	CONTENT
Tribenuron methyl	101200-48-0	75%
Other ingredients, filler etc.	Proprietary	25%

Section 4: FIRST AID MEASURES

Routes of Exposure:		
If in eyes:	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.	
	Continue rinsing. If eye irritation persists: Get medical advice/attention.	
If on skin:	Remove contaminated clothing and wash affected area thoroughly with soap and water. If a large area	
	is affected or rash occurs seek medical assistance.	
If ingested:	Never give anything by mouth to an unconscious person. If swallowed DO NOT induce vomiting. For	
	advice, contact the National Poisons Centre on 0800 POISON (0800 764 766). Seek medical assistance	
	immediately.	
If inhaled:	Remove patient to fresh air. Lay down and keep warm and rested. If breathing is shallow or has	
	stopped ensure airway is clear and apply resuscitation. Seek medical assistance immediately.	
Most important symp	toms and effects, both acute and delayed	
Symptoms:		
Eyes:	Causes serious eye irritation.	
Skin:	May cause an allergic skin reaction.	
Ingested:	Not applicable.	
Inhaled:	Not applicable.	
Chronic:	May cause damage to organs through prolonged or repeated exposure.	
Notes to Doctor:	Treat symptomatically.	

Section 5: FIRE FIGHTING MEASURES

Hazard Type	Non Flammable
Hazards from combustion products	If involved in a fire may evolve oxides of carbon, nitrogen and sulphur
Suitable Extinguishing media	Water fog, foam, carbon dioxide or dry chemical
Precautions for firefighters and special	Full protective clothing and self-contained breathing apparatus.
protective clothing	
HAZCHEM CODE	27

Section 6: ACCIDENTIAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:

Wear appropriate protective clothing as detailed in Section 8. Exclude non-essential people from the area.

Environmental precautions:

Prevent from entering drains, waterways or sewers. If spill does enter waterways contact local authority.

Methods and material for containment and cleaning up:

Sweep up solids without generating dust and place in a sealable waste container for disposal. Dispose of according to Section 13.

Section 7: HANDLING AND STORAGE

Handling:	Read carefully and follow all instructions. Avoid contact with skin, eyes and inhalation of spray mist.
	Do not breathe dust.
	Wash hands thoroughly after handling.
	Contaminated work clothing should not be allowed out of the workplace.

Avoid release to the environment.

Wear protective clothing as detailed in Section 8.

Record Keeping: Records of use as described in NZS 8409 Management of Agrichemicals must be kept where more than 3kg of this product is used within 24hrs.

Storage:

Keep out of reach of children.

Store away from incompatible materials listed in Section 10.

Store in original container tightly closed, well ventilated and in a locked, dry, cool area away from foodstuffs, fertiliser and seed.

Store in accordance with NZS 8409 Management of Agrichemicals

This product is subject to signage and secondary containment when stored in quantities of 100kg or more, either alone or in aggregate with substances of the same hazard classification. More than 100kg require emergency response plans. For full details refer to NZS 8409 Management of Agrichemicals and HSNO Regulations (Emergency Management and Identification Regulations).

Section 8: EXPOSURE CONTROL/PERSONAL PROTECTION

WORKPLACE EXPOSURE STANDARDS (provided for guidance only)

TWA STEL

Substance ppm mg/m³ ppm mg/m³

No ingredients have exposure limits

Workplace Exposure Standard – Time Weighted Average (WES-TWA). The time-weighted average exposure standard designed to protect the worker from the effects of long-term exposure. Workplace Exposure Standard – Short-Term Exposure Limit (WESSTEL). The 15-minute average exposure standard. Applies to any 15- Minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both the short-term and time-weighted average exposures apply. Workplace Exposure Standards and Biological Exposure Indices NOV 2023 14TH EDITION.

Engineering	Handle in well-ventilated area. Use process enclosures, local exhaust ventilation, or other engineering
Controls:	controls to keep airborne levels below exposure limits. Avoid inhalation of spray mist.

Personal Protection Equipment:	
Eyes:	When opening the container, preparing spray and when contact with concentrate or solution is likely,
	wear safety goggles.
Skin/Hands:	When opening the container, preparing spray and when contact with concentrate or solution is likely,
	wear waterproof gloves, cotton overalls buttoned to the neck and wrist, and boots.
Respiratory:	Handle in well ventilated area.
General:	Do not eat, drink or smoke while using this product. Remove protective clothing and wash hands and
	face before meals and after work. Wash protective clothing daily after work.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Granules
Colour	Light brown, beige
Odour	Slight
Odour Threshold	Not available
pH	6-7 in 1% dispersion
Boiling Point	Not available
Melting Point	Not available
Freezing Point	Not available
Flash Point	Not available
Flammability	Non Flammable
Upper and Lower Explosive Limits	Not available
Vapour Pressure	Not available
Vapour Density	Not available
Specific Gravity	Not available
Water Solubility	Disperses in water
Partition Coefficient:	Not available
Auto-ignition Temperature	Not available
Decomposition Temperature	Not available
Kinematic Viscosity	Not available
Particle Characteristics	Not available

Other information	(WDG) Water Dispersible Granule

Section 10: STABILITY AND REACTIVITY

Stability of Substance	When stored appropriately this product should show no significant degradation
	for 2 years from the date of manufacture.
Possibility of hazardous reactions	Not available
Conditions to Avoid	None known.
Incompatible Materials	Avoid contact with strong oxidising agents.
Hazardous Decomposition Products	None known. Refer to Section 5.

Section 11: TOXICOLOGICAL INFORMATION

Acute Effects:

Swallowed	Not applicable. LD ₅₀ (rat) >5000mg/kg.	
Dermal	Not applicable. LD ₅₀ (rabbit) >2000mg/kg	
Inhalation	Not applicable.	
Eye	Causes severe eye irritation.	
Skin	May cause an allergic skin reaction.	

Chronic Effects:

Carcinogenicity	Not applicable.
Reproductive Toxicity	Not applicable.
Germ Cell Mutagenicity	Not applicable.
Aspiration	Not applicable.
STOT/SE	Not applicable.
STOT/RE	May cause damage to organs through repeated or prolonged exposure.

Section 12: ECOLOGICAL INFORMATION

Very toxic to aquatic life with long lasting effects.

Hazardous to soil organisms.

Product:

Persistence and degradability/Mobility	Low mobility. Microbial degradation and hydrolysis is the major cause of loss from the soil. Half-life in soil is typically 1-7days with breakdown faster in lower soil pH, higher temperatures and increased soil moisture.
Bioaccumulation	No data available.
Other adverse effects	Avoid unintended release into streams and waterways.

Ecotoxicity: Acute Toxicity (fish)

 LC_{50} (bluegill sunfish) (96hr) >1000mg/l LC_{50} (rainbow trout) (96hr) >1000mg/l

Section 13: DISPOSAL INFORMATION

Disposal Method:	Triple rinse container and add rinsate to the spray tank.
	Dispose of product only by using in accordance with label directions, or through Agrecovery
	Chemical Recovery Service or alternative approved programs.
Container Disposal:	Triple rinsed containers containing the Agrecovery logo on the label and that are free of all residues and have an intact legible label may be taken to an Agrecovery collection site for free recycling. Otherwise crush and bury in an approved landfill. Do not burn. Do not use container for any other purpose.
Precautions or methods to avoid:	Do not allow product or empty container to contaminate any waterway.

Section 14: TRANSPORT INFORMATION

This product is classified as a Dangerous Good for transport in NZ; NZS 5433:2020



Road, Rail, Sea and Air Transport

UN No	3077	
Class - Primary	9	
Packing Group	III	
Proper Shipping Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (tribenuron methyl 75%)	

Marine Pollutant	Yes
Special Provisions	If the product's individual container is below 5kg, it can be transported as a non-DG as long as the
	product packaging is still labelled as per DG requirements and the driver is given safety information
	in accordance with Chapter 3.4 of the UNRTDG.

Section 15: REGULATORY INFORMATION

This substance is classified hazardous according to the EPA Hazardous Substances (Classification) Notice 2020	
EPA Approval Code:	HSR000234

HSW (HS) Regulations 2017	Trigger Quantity	
Signage Trigger Quantities (Schedule 3)	100kg	
Emergency Response Plan (Schedule 5)	100kg	
Secondary Containment (Schedule 5)	100kg	
Tracking (Schedule 26)	Not required	
Certified Handlers	Not required	
HSNO Additional Controls (Restrictions of use)		
77A -	The substance must not be applied onto or into water.	
ACVM Act and Regulations		
See <u>www.foodsafety.govt.nz</u> for registration conditions		P8045

Section 16: OTHER INFORMATION

Glossary

EC₅₀ Median effective concentration.
 EEL Environmental Exposure Limit.
 EPA Environmental Protection Authority
 HSNO Hazardous Substances and New Organisms.

HSW Health and Safety at Work.

LC₅₀ Lethal concentration that will kill 50% of the test organisms inhaling or ingesting it.

LD₅₀ Lethal dose to kill 50% of test animals/organisms.

LEL Lower explosive level.

OSHA American Occupational Safety and Health Administration.

TEL Tolerable Exposure Limit.

TLV Threshold Limit Value-an exposure limit set by responsible authority.

UEL Upper Explosive Level
WES Workplace Exposure Limit

References:

- 1. EPA Hazardous Substances (Safety Data Sheets) Notice 2017
- 2. Workplace Exposure Standards and Biological Exposure Indices Nov 2017 edition.
- 3. Assigning a hazardous substance to a HSNO Approval (Aug 2013).
- 4. Transport of Dangerous goods on land NZS 5433:2012
- 5. HSW (Hazardous Substances) Regulations 2017

Disclaimer

This document has been prepared by TCC (NZ) Ltd and serves as the suppliers Safety Data Sheet ('SDS'). It is based on information concerning the product which has been provided to TCC (NZ) Ltd or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer. While TCC (NZ) have taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, TCC (NZ) Ltd accept no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS

The information herein is given in good faith, but no warranty, express or implied is made.

Please contact Ravensdown, if further information is required.

Issue Date: 22 April 2024 Review Date: 22 April 2029