

HUSSAR 1/12

 Version 2 / NZ
 Revision Date: 10.08.2022

 102000011353
 Print Date: 10.08.2022

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade name HUSSAR Product code (UVP) 06452507

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Herbicide EPA-Nr. HSR000065

1.3 Details of the supplier of the safety data sheet

Supplier Bayer New Zealand Limited

Crop Science Division B:HIVE Building 74 Taharoto Rd Smales Farm Takapuna Auckland, 0622 New Zealand

Telephone 0800 428 246

Telefax (09) 441 8645

1.4 Emergency telephone no.

Emergency Number 0800 734 607 (24hr)

Global Incident Response

Hotline (24h)

+1 (760) 476-3964 (Company 3E for Bayer AG, Crop Science Division)

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classified as hazardous according to the criteria in the Hazardous Substances (Minimum Degrees of Hazard) Notice 2020 as amended

6.3 B

H316 Causes mild skin irritation.

8.3 A

H318 Causes serious eye damage.

9.1 A

H410 Very toxic to aquatic life with long lasting effects.



HUSSAR 2/12

 Version 2 / NZ
 Revision Date: 10.08.2022

 102000011353
 Print Date: 10.08.2022

9.2 A

H421 Very toxic to the soil environment.

2.2 Label elements

Labelling in accordance with the Hazardous Substances (Safety Data Sheets) Notice 2020 as amended

Hazard label for supply/use required.



Signal word: Danger

Hazard statements

H316 Causes mild skin irritation.H318 Causes serious eye damage.

H410 Very toxic to aquatic life with long lasting effects.

H421 Very toxic to the soil environment.

Precautionary statements

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P332 + P313 If skin irritation occurs: Get medical advice/ attention.

P305 + P351 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

+ P338 present and easy to do. Continue rinsing.

P391 Collect spillage.

P501 Dispose of contents/container in accordance with local regulation.

2.3 Other hazards

No additional hazards known beside those mentioned.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Chemical nature

Water dispersible granules (WG)

lodosulfuron-methyl-sodium/mefenpyr-diethyl 5.0:15.0 % w/w

Hazardous components

Chemical name	CAS-No.	Conc. [%]
lodosulfuron-methyl-sodium	144550-36-7	5.00
Mef enpyr-diethyl	135590-91-9	15.30
Solvent Naphtha (petroleum), heavy aromatic, <1% naphthalene	64742-94-5	> 1.00 - < 20.00
Alkylnaphthalenesulfonic acid, polymer with formaldehyde, sodium salt	68425-94-5	> 1.00 - < 15.00
Olefin sulphonate, sodium salt	68439-57-6	> 1.00 - < 5.00
Tetrapropylene benzene sulfonate, calcium salt	11117-11-6	> 1.00 - < 5.00



 HUSSAR

 Version 2 / NZ
 Revision Date: 10.08.2022

 102000011353
 Print Date: 10.08.2022

Synthetic amorphous silica	112926-00-8	> 1.00 - < 15.00
Kaolin	1332-58-7	> 1.00 - < 30.00
Perlite	93763-70-3	> 1.00 - < 5.00

Further information

lodosulfuron-	144550-36-7	M-Factor: 1,000 (acute)
methyl-sodium		

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General advice Move out of dangerous area. Place and transport victim in stable

position (lying sideways). Remove contaminated clothing immediately

and dispose of safely.

Inhalation Move to fresh air. Keep patient warm and at rest. Call a physician or

poison control center immediately.

Skin contact Wash off thoroughly with plenty of soap and water, if available with

polyethyleneglycol 400, subsequently rinse with water. If symptoms

persist, call a physician.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control

center immediately.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms Local:, Irritation

Systemic:, To date no symptoms are known.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment Initial treatment: symptomatic. In the event of a mouthful or more being

ingested, the following measures should be considered: In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. Forced alkaline diuresis and hemodialysis may be considered. Monitor: kidney,

liver and red blood cell count.

Contact the National Poisons and Hazardous Chemicals Information center in Dunedin, PO Box 913, Dunedin. Phone 0800 POISON (0800 764 766).

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable Use water spray, alcohol-resistant foam, dry chemical or carbon

dioxide.



HUSSAR 4/12

Version 2/NZ Revision Date: 10.08.2022 102000011353 Print Date: 10.08.2022

Unsuitable High volume water jet

5.2 Special hazards arising from the substance or

mixture

In the event of fire the following may be released:, Hydrogen chloride (HCI), Hydrogen cyanide (hydrocyanic acid), Hydrogen iodide (HI), Carbon monoxide (CO), Carbon dioxide (CO2), Sulphur oxides, Nitrogen oxides (NOx)

5.3 Advice for firefighters

Special protective equipment for firefighters In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.

Contain the spread of the fire-fighting media. Do not allow run-off from **Further information**

fire fighting to enter drains or water courses.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Precautions Avoid contact with spilled product or contaminated surfaces. Use

personal protective equipment.

6.2 Environmental precautions

Do not allow to get into surface water, drains and ground water.

6.3 Methods and materials for containment and cleaning up

Use mechanical handling equipment. Clean contaminated floors and Methods for cleaning up

objects thoroughly, observing environmental regulations. Keep in

suitable, closed containers for disposal.

6.4 Reference to other

sections

Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling Use only in area provided with appropriate exhaust ventilation.

Advice on protection against fire and explosion

No special precautions required.

Hygiene measures Avoid contact with skin, eyes and clothing. Keep working clothes

> separately. Wash hands before breaks and immediately after handling the product. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be

destroyed (burnt).

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Keep containers tightly closed in a dry, cool and well-ventilated place. Store in original container. Store in a place accessible by authorized persons only. Keep away from direct sunlight. Protect from frost.



HUSSAR
Version 2 / NZ
Revision Date: 10.08.2022

102000011353 Print Date: 10.08.2022

Advice on common storage Keep away from food, drink and animal feedingstuffs.

Suitable materials FIBC-PP (Polypropylen; approx.1000 l)

7.3 Specific end use(s) Refer to the label and/or leaflet.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components	CAS-No.	Control parameters	Update	Basis
lodosulfuron-methyl-sodium	144550-36-7	1 mg/m3 (TWA)		OES BCS*
Mef enpyr-diethyl	135590-91-9	10 mg/m3 (TWA)		OES BCS*
Solvent Naphtha (petroleum), heavy aromatic, <1% naphthalene	64742-94-5	1,600 mg/m3/400 ppm (TWA)	02 2013	NZ OEL
Synthetic amorphous silica	112926-00-8	10 mg/m3 (TWA)	06 2016	NZ OEL
Kaolin (Respirable dust.)	1332-58-7	2 mg/m3 (TWA)	07 2011	NZ OEL
Kaolin (Inhalable dust.)	1332-58-7	10 mg/m3 (TWA)	07 2011	NZ OEL
Perlite	93763-70-3	10 mg/m3 (TWA)	06 2016	NZ OEL

^{*}OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

8.2 Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection Respiratory protection is not required under anticipated

circumstances of exposure.

Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's

instructions regarding wearing and maintenance.

Hand protection Please observe the instructions regarding permeability and

breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the

contact time.

Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating.

drinking, smoking or using the toilet.

Material Nitrile rubber



HUSSAR 6/12 Version 2/NZ Revision Date: 10.08.2022

102000011353 Print Date: 10.08.2022

> > 480 min Rate of permeability Glove thickness $> 0.4 \, \text{mm}$ Protective index Class 6

Directive Protective gloves complying with EN

374.

Wear goggles (conforming to EN166, Field of Use = 5 or equivalent) Eye protection

and faceshield (conforming to EN166, Field of Use = 3 or

equivalent).

Skin and body protection Wear standard coveralls and Category 3 Type 5 suit.

If there is a risk of significant exposure, consider a higher protective

type suit.

Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and

should be professionally laundered frequently.

If chemical protection suit is splashed, sprayed or significantly contaminated, decontaminate as far as possible, then carefully

remove and dispose of as advised by manufacturer.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Form water-dispersible granules

Colour light beige to brown

Odour aromatic

Odour Threshold No data available

7.5 - 9.0 (10 %) (23 °C) (deionized water)

Melting point/range No data available **Boiling Point** No data available Flash point Not applicable

Flammability The product is not highly flammable.

Auto-ignition temperature No data available

378 °C Ignition temperature

Minimum ignition energy No data available Self-accelarating

decomposition temperature

(SADT)

No data available

Upper explosion limit No data available Lower explosion limit No data available Vapour pressure No data available **Evaporation rate** No data available Relative vapour density No data available Relative density No data available



HUSSAR
Version 2 / NZ
Revision Date: 10.08.2022

 Version 2 / NZ
 Revision Date: 10.08.2022

 102000011353
 Print Date: 10.08.2022

Density No data available

Bulk density 0.673 - 0.790 g/ml (loose)

Water solubility dispersible

Partition coefficient: n-

octanol/water

lodosulfuron-methyl: log Pow: 2.57

Mef enpyr-diethyl: log Pow: 3.83 (21 °C)

Viscosity, dynamicNo data availableViscosity, kinematicNo data availableSurface tension33 mN/m (20 °C)

Impact sensitivity Not impact sensitive.

Burning number CN3 Local combustion without spreading

Oxidizing properties No oxidizing properties

Explosivity Not explosive

92/69/EEC, A.14 / OECD 113

Dust content nearly dust-free

9.2 Other information Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity Stable under normal conditions.

10.2 Chemical stability Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions when stored and handled according to

prescribed instructions.

10.4 Conditions to avoid Extremes of temperature and direct sunlight.

10.5 Incompatible materials Store only in the original container.

10.6 Hazardous

decomposition products

No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute oral toxicity LD50 (Rat) > 5,000 mg/kg

Test conducted with a similar formulation.



HUSSAR 8/12

Version 2 / NZ
102000011353

Revision Date: 10.08.2022
Print Date: 10.08.2022

Acute inhalation toxicity

Not relevant because of low dust formation.

Acute dermal toxicity LD50 (Rat) > 5,000 mg/kg

Test conducted with a similar formulation.

Skin corrosion/irritation No skin irritation (Rabbit)

Test conducted with a similar formulation.

Serious eye damage/eye

irritation

Risk of serious damage to eyes. (Rabbit) Test conducted with a similar formulation.

Respiratory or skin Non-sensitizing. (Guinea pig)

sensitisation OECD Test Guideline 406, Buehler test

Test conducted with a similar formulation.

Assessment STOT Specific target organ toxicity - single exposure

lodosulfuron-methyl: Based on available data, the classification criteria are not met. Mef enpyr-diethyl: Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity - repeated exposure

lodosulfuron-methyl did not cause specific target organ toxicity in experimental animal studies. Mef enpyr-diethyl did not cause specific target organ toxicity in experimental animal studies.

Assessment mutagenicity

lodosulfuron-methyl was not mutagenic or genotoxic in a battery of in vitro and in vivo tests. Mefenpyr-diethyl was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

lodosulfuron-methyl was not carcinogenic in lifetime feeding studies in rats and mice. Mefenpyr-diethyl was not carcinogenic in lifetime feeding studies in rats and mice.

Assessment toxicity to reproduction

lodosulfuron-methyl did not cause reproductive toxicity in a two-generation study in rats. Mef enpyr-diethyl did not cause reproductive toxicity in a two-generation study in rats.

Assessment developmental toxicity

lodosulfuron-methyl did not cause developmental toxicity in rats and rabbits. Mef enpyr-diethyl caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Mef enpyr-diethyl are related to maternal toxicity.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

Assessment The substance/mixture does not contain components considered to have

endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission

Regulation (EU) 2018/605 at levels of 0.1% or higher.



HUSSAR 9/12

 Version 2 / NZ
 Revision Date: 10.08.2022

 102000011353
 Print Date: 10.08.2022

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)) 11.1 mg/l

Exposure time: 96 h

Test conducted with a similar formulation.

Toxicity to aquatic

EC50 (Daphnia magna (Water flea)) 10.85 mg/l

invertebrates Exposure time: 48 h

Test conducted with a similar formulation.

Toxicity to aquatic plants EC50 (Raphidocelis subcapitata (freshwater green alga)) 0.87 mg/l

Exposure time: 72 h

Test conducted with a similar formulation.

EC50 (Lemna gibba (gibbous duckweed)) 0.81 µg/l

Exposure time: 14 d

The value mentioned relates to the active ingredient iodosulfuron-

methyl-sodium.

12.2 Persistence and degradability

Biodegradability lodosulfuron-methyl:

Not rapidly biodegradable

Mef enpyr-diethyl:

Not rapidly biodegradable

Koc lodosulfuron-methyl: Koc: 0.8 - 152

Mefenpyr-diethyl: Koc: 625

12.3 Bioaccumulative potential

Bioaccumulation lodosulfuron-methyl:

Does not bioaccumulate.

Mef enpyr-diethyl: Bioconcentration factor (BCF) 232

Does not bioaccumulate.

12.4 Mobility in soil

Mobility in soil lodosulfuron-methyl: Mobile in soils

Mefenpyr-diethyl: Slightly mobile in soils

12.5 Results of PBT and vPvB assessment

PBT and vPvB assessment lodosulfuron-methyl: This substance is not considered to be persistent,

bioaccumulative and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulative (vPvB).

Mef enpyr-diethyl: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulative (vPvB).

12.6 Endocrine disrupting properties

Assessment The substance/mixture does not contain components considered to have

endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission

Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Additional ecological No other effects to be mentioned.



HUSSAR 10/12

 Version 2 / NZ
 Revision Date: 10.08.2022

 102000011353
 Print Date: 10.08.2022

information

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product Dispose of this product only by using according to the label, or at an

approved landfill or other approved facility.

Contaminated packaging Triple rinse containers. Recycle if possible. If allowed under local

authority, burn if circumstances, especially wind direction permit, otherwise crush and bury in an approved local authority facility. Do not

use container for any other purpose.

SECTION 14: TRANSPORT INFORMATION

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

ADR/RID/ADN

14.1 UN number **3077**

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(IODOSULFURON-METHYL SODIUM/SOLVENT NAPHTHA

(PETROLEUM) HEAVY AROMATIC MIXTURE)

14.3 Transport hazard class(es)

14.4 Packaging Group III

14.5 Environm. Hazardous Mark YES
Hazchem Code 27

IMDG

14.1 UN number **3077**

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(IODOSULFURON-METHYL SODIUM/SOLVENT NAPHTHA

(PETROLEUM) HEAVY AROMATIC MIXTURE)

14.3 Transport hazard class(es)
14.4 Packaging Group
14.5 Marine pollutant

YES

IATA

14.1 UN number **3077**

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(IODOSULFURON-METHYL SODIUM/SOLVENT NAPHTHA

(PETROLEUM) HEAVY AROMATIC MIXTURE)

14.3 Transport hazard class(es) 9
14.4 Packaging Group III

14.5 Environm. Hazardous Mark YES

14.6 Special precautions for user



HUSSAR 11/12

 Version 2 / NZ
 Revision Date: 10.08.2022

 102000011353
 Print Date: 10.08.2022

See sections 6 to 8 of this Safety Data Sheet.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

No transport in bulk according to the IBC Code.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Further information

HSNO approval-Nr. HSR000065

HSNO Controls See www.epa.govt.nz

ACVM Reg. P7047

ACVM Condition See www.foodsafety.govt.nz

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms

ADN European Agreement concerning the International Carriage of Dangerous Goods by

Inland Waterways

ADR European Agreement concerning the International Carriage of Dangerous Goods by

Road

ATE Acute toxicity estimate

CAS-Nr. Chemical Abstracts Service number

Conc. Concentration

ECx Effective concentration to x %

EINECS European inventory of existing commercial substances

ELINCS European list of notified chemical substances

EN European Standard EU European Union

IATA International Air Transport Association

IBC International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk (IBC Code) Inhibition concentration to x %

IMDG International Maritime Dangerous Goods

LCx Lethal concentration to x %

LDx Lethal dose to x %

ICx

LOEC/LOEL Lowest observed effect concentration/level

MARPOL: International Convention for the prevention of marine pollution from ships

N.O.S. Not otherwise specified

NOEC/NOEL No observed effect concentration/level

OECD Organization for Economic Co-operation and Development

RID Regulations concerning the International Carriage of Dangerous Goods by Rail

TWA Time weighted average

UN United Nations

WHO World health organisation

The data given here is based on current knowledge and experience. The purpose of this Safety Data



HUSSAR

Version 2/NZ 102000011353 **12/12**Revision Date: 10.08.2022
Print Date: 10.08.2022

Sheet is to describe products in terms of their safety requirements. The above details do not imply any guarantee concerning composition, properties or performance of the product.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.