Safety Data Sheet



Pasture Guard Nurture

Section 1: SUBSTANCE IDENTIFICATION AND SUPPLIER

Product Name:	Pasture Guard Nurture
Product Code:	7927090 (20 Litres) 7927093 (200 Litres)
Recommended Use:	Selective herbicide for the control of thistles and other broadleaf weeds in new and established pasture, grass and white clover seed crops, peas and cereals.
Restrictions of Use:	Refer to Section 15
Company Identification:	Ravensdown Limited
Address:	292 Main South Road, Hornby, Christchurch, 8042 PO Box 1049, Christchurch 8011
Customer Centre:	0800 100 123
National Poisons Information Centre:	0800 POISON (0800 764 766)
Emergency Phone Number:	0800 CHEMCALL (0800 243 622) (24hr) (Emergencies Only)
Transport Emergency Phone Number:	111 - tell operator what service is needed: Fire, Ambulance or Police
Date of SDS Preparation	9 May 2024 v2

Section 2: HAZARD IDENTIFICATION

This substance is hazardous according to the EPA Hazardous Substances (Classification) Notice 2020

EPA Approval No:	HSR000726
Pictograms:	! *
Signal Word:	Warning

GHS Classification and Category	Hazard Code	Hazard Statement
Acute oral toxicity Cat. 4	H302	Harmful if swallowed.
Eye irritation Cat. 2	H319	Causes serious eye irritation.
Reproductive toxicity Cat. 2	H361	Suspected of damaging fertility or the unborn child.
Specific target organ toxicity – repeated exposure Cat. 2	H373	May cause damage to organs through prolonged or repeated exposure.
Hazardous to the aquatic environment acute Cat. 1	H400	Very toxic to aquatic life.
Hazardous to the aquatic environment chronic Cat. 1	H410	Very toxic to aquatic life with long lasting effects.
Hazardous to soil organisms.	H421	Hazardous to soil organisms.
Hazardous to terrestrial vertebrates.	H433	Hazardous to terrestrial vertebrates.

Prevention Code	Prevention Statement
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P260	Do not breathe fume, vapours or spray.
P264	Wash hands thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.

Product Name: **Pasture Guard Nurture**Date of SDS: 9 May 2024

SDS Prepared by: Technical Compliance Consultants (NZ) Ltd Tel: 64 9 475 5240 www.techcomp.co.nz

P273	Avoid release to the environment.
P280	Wear protective clothing as detailed in Section 8.

Response Code	Response Statement
P101	If medical advice is needed, have product container or label at hand.
P314	Get medical advice/attention if you feel unwell.
P330	Rinse mouth.
P391	Collect spillage.
P301 + P312	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
P305 + P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to
	do. Continue rinsing.
P308 + P313	IF exposed or concerned: Get medical advice/ attention.
P337 + P313	If eye irritation persists: Get medical advice/attention.

Storage Code	Storage Statement
P405	Store locked up.

Disposal Code	Disposal Statement
P501	Dispose of according to Local Regulations or Authorities

Section 3: COMPOSITION INFORMATION

INGREDIENT	CAS No.	CONTENT
MCPB (sodium salt)	6062-26-6	37.5%
MCPA (sodium salt)	3653-48-3	2.5%
Non hazardous materials		To 100

Section 4: FIRST AID MEASURES

Routes of Exposure:		
If in eyes:	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.	
	Continue rinsing. If eye irritation persists: Get medical advice/attention.	
If on skin:	Take off contaminated clothing. Wash affected area thoroughly with soap and water. If skin irritation	
	occurs: Get medical advice/ attention.	
If ingested:	Rinse mouth. Never give anything by mouth to an unconscious person. If swallowed DO NOT induce vomiting. For advice, contact the National Poisons Centre on 0800 POISON (0800 764 766). Seek medical assistance immediately.	
If inhaled:	Remove patient to fresh air. Lay down and keep warm and rested. If breathing is shallow or has stopped	
	ensure airway is clear and apply resuscitation. Seek medical assistance immediately.	
Most important sym	ptoms and effects, both acute and delayed	
Symptoms:	Please refer to Section 11 for full details and symptoms.	
Eyes:	Causes serious eye irritation.	
Skin:	Not applicable.	
Ingested:	Harmful if swallowed.	
Inhaled:	Not applicable	
Chronic:	May cause damage to organs through prolonged or repeated exposure.	
	Suspected of damaging fertility or the unborn child.	
Notes to Doctor:	Treat symptomatically.	

Section 5: FIRE FIGHTING MEASURES

Hazard Type	Non Flammable
Hazards from combustion products	If involved in a fire, may evolve toxic fumes of hydrogen chloride.
Suitable Extinguishing media	Water fog, foam, carbon dioxide or dry chemical.
Precautions for firefighters and	Full protective clothing and self-contained breathing apparatus.
special protective clothing	
HAZCHEM CODE	3Z

Section 6: ACCIDENTIAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:

Wear appropriate protective clothing as detailed in Section 8. Exclude non-essential people from the area.

Product Name: **Pasture Guard Nurture** Date of SDS: 9 May 2024 SDS Prepared by: Technical Compliance Consultants (NZ) Ltd Tel: 64 9 475 5240 www.techcomp.co.nz

Environmental precautions:

Prevent from entering drains, waterways or sewers. If spill does enter waterways contact local authority.

Methods and material for containment and cleaning up:

Contain spill and absorb with inert material such as soil, sand or absorbent granules and place in a sealable waste container. Dispose of according to Section 13.

Section 7: HANDLING AND STORAGE

Handling:	Read carefully and follow all instructions.
	Avoid contact with skin, eyes and inhalation of spray mist.
	Obtain special instructions before use.
	Do not handle until all safety precautions have been read and understood.
	Do not breathe fume, vapours or spray.
	Wash hands thoroughly after handling.
	Do not eat, drink or smoke when using this product.
	Avoid release to the environment.
	Wear protective clothing as detailed in Section 8.
	Use personal protective equipment as required.
	Record Keeping: Records of use in accordance with NZS 8409 Management of Agrichemicals must be kept.
Storage:	Keep out of reach of children.
	Store away from incompatible materials listed in Section 10.
	Store locked up.
	Store in original container tightly closed and in a locked, dry, cool area away from foodstuffs, fertiliser, seed.
	Store in accordance with NZS 8409 Management of Agrichemicals. This product is subject to signage and secondary containment when stored in quantities of 100litres or more, either alone or in aggregate with substances of the same hazard classification. More than 100litres requires emergency response plans. For
	full details refer to NZS 8409 Management of Agrichemicals and HSNO Regulations (Emergency Management and Identification Regulations).

Section 8: EXPOSURE CONTROL/PERSONAL PROTECTION

WORKPLACE EXPOSURE STANDARDS (provided for guidance only)

TWA STEL

Substance ppm mg/m³ ppm mg/m³

No ingredients have exposure limits

Workplace Exposure Standard – Time Weighted Average (WES-TWA). The time-weighted average exposure standard designed to protect the worker from the effects of long-term exposure. Workplace Exposure Standard – Short-Term Exposure Limit (WESSTEL). The 15-minute average exposure standard. Applies to any 15- Minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both the short-term and time-weighted average exposures apply. Workplace Exposure Standards and Biological Exposure Indices NOV 2023 14TH EDITION.

Engineering	Handle in well ventilated area, natural ventilation is normally adequate. Avoid inhalation of spray mist.
Controls:	

Eyes: When opening the container, preparing spray and when contact with concentrate or solution is likely, wear safety goggles. Skin/Hands: When opening the container, preparing spray and when contact with concentrate or solution is likely, wear chemically resistant gloves, cotton overalls buttoned to the neck and wrist, and boots. Respiratory: Respiratory protection should be worn in areas of poor ventilation General: Do not eat, drink or smoke while using this product. Remove protective clothing and wash hands and face before meals and after work. Wash protective clothing daily after work.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Liquid

Product Name: **Pasture Guard Nurture**Date of SDS: 9 May 2024

SDS Prepared by: Technical Compliance Consultants (NZ) Ltd
Tel: 64 9 475 5240 www.techcomp.co.nz

Colour	Clear brown
Odour	Characteristic
Odour Threshold	Not available
рН	7 - 10
Boiling Point	Not available
Melting Point	Not available
Freezing Point	Not available
Flash Point	Not available
Flammability	Non Flammable
Upper and Lower Explosive Limits	Not available
Vapour Pressure	Not available
Vapour Density	Not available
Specific Gravity	1.13 – 1.14
Water Solubility	Soluble in water
Partition Coefficient:	Not available
Auto-ignition Temperature	Not available
Decomposition Temperature	Not available
Kinematic Viscosity	Not available
Particle Characteristics	Not available
Other information	(SL) Soluble Liquid

Section 10: STABILITY AND REACTIVITY

Stability of Substance	When stored appropriately this product should show no significant degradation for 2 years from the date of manufacture.
Possibility of hazardous reactions	Not available
Conditions to Avoid	None known.
Incompatible Materials	Avoid contact with strong acids and oxidising agents.
Hazardous Decomposition Products	None known.

Section 11: TOXICOLOGICAL INFORMATION

Acute Effects:

toute Lincold.		
Swallowed	Harmful if swallowed. LD ₅₀ (rat) 690mg/kg (MCPB), 700-160mg/Kg (MCPA)	
Dermal	Not triggered. LD ₅₀ (rabbit) >2000mg/kg (MCPB), >4000mg/Kg (MCPA)	
Inhalation	Not triggered. LC ₅₀ (rat) (4hr) >1.14mg/L (MCPB), >6.36mg/L (MCPA)	
	Single exposure to vapours is unlikely to be hazardous. When applying this product avoid inhalation of spray mist.	
Eye	Causes severe eye irritation.	
Skin	Not triggered.	

Chronic Effects:

Carcinogenicity	Not triggered.
Reproductive Toxicity	Suspected of damaging fertility or the unborn child. Animal studies have shown some effects to reproduction including toxicity to the foetus and effects to the sperm and testes at high doses. These are not likely to be apparent in humans under normal exposure conditions.
Germ Cell Mutagenicity	Not triggered.
Aspiration	Not triggered.
STOT/SE	Not triggered.
STOT/RE	May cause damage to organs through prolonged or repeated exposure.
Chronic Effects	Excessive exposure may have adverse effects on liver and kidneys.

Section 12: ECOLOGICAL INFORMATION

Very toxic to aquatic life with long lasting effects.	
Hazardous to soil organisms.	
Hazardous to terrestrial vertebrates.	

Product:

Persistence and	High mobility in soil. Microbial degradation is the major cause of loss from the soil.
degradability/Mobility	Half-life 5-7days (MCPB) and 14-28 days (MCPA)

Bioaccumulation MCPB and MCPA do not bioaccumulate.

Other adverse effects Avoid unintended release into streams and waterways.

Ecotoxicity: Acute Toxicity (fish)

LC₅₀ (rainbow trout) (96hr) 4.3mg/l (MCPB), 50-560mg/L (MCPA)

Acute Toxicity (daphnia)

LC₅₀ (48hr) 55mg/I (MCPB), >100mg/L (MCPA)

Very toxic to fish and other aquatic organisms

Section 13: DISPOSAL INFORMATION

Disposal Method: Triple rinse container and add rinsate to the spray tank.

 $\hbox{Dispose of product only by using in accordance with label directions, or through Agreeovery } \\$

Chemical Recovery Service or alternative approved programs.

Container Disposal:

AGRECOVERY

Triple rinsed containers containing the Agrecovery logo on the label and that are free of all residues and have an intact legible label may be taken to an Agrecovery collection site for free recycling. Otherwise crush and bury in an approved landfill. Do not burn. Do not use container for any other purpose.

Precautions or methods to avoid: Do not allow product or empty container to contaminate any waterway.

Section 14: TRANSPORT INFORMATION

This product is classified as a Dangerous Good for transport in NZ; NZS 5433:2020



Road, Rail, Sea and Air Transport

UN No	3082
Class - Primary	9
Packing Group	III
Proper Shipping Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (MCPB 37.5%, MCPA 2.5%)
Marine Pollutant	Yes
Hazchem Code	3Z
Special Provisions	If the product's individual container is below 5L it can be transported as a non-DG as long as the product packaging is still labelled as per DG requirements and the driver is given safety information in accordance with Chapter 3.4 of the UNRTDG.

Section 15: REGULATORY INFORMATION

This substance is classified hazardous according to the EPA Hazardous Substances (Classification) Notice 2017

EPA Approval Code: HSR000726

HSW (HS) Regulations 2017	Trigger Quantity
Signage Trigger Quantities (Schedule 3)	100L
Emergency Response Plan (Schedule 5)	100L
Secondary Containment (Schedule 5)	100L
Tracking (Schedule 26)	Not required
Certified Handlers	Not required
Location Certificate	Not required
HSNO Additional Controls (Restrictions of use)	

77A - The substance must not be applied onto or into water.

ACVM Act and Regulations

See <u>www.foodsafety.govt.nz</u> for registration conditions **P841**

Section 16: OTHER INFORMATION

Glossary

EC₅₀ Median effective concentration.

EEL Environmental Exposure Limit.

EPA Environmental Protection Authority

HSNO Hazardous Substances and New Organisms.

Product Name: Pasture Guard Nurture

SDS Prepared by: Technical Compliance Consultants (NZ) Ltd
Date of SDS: 9 May 2024

Tel: 64 9 475 5240 www.techcomp.co.nz

Page **5** of **6**

HSW Health and Safety at Work.

LC50 Lethal concentration that will kill 50% of the test organisms inhaling or ingesting it.

LD₅₀ Lethal dose to kill 50% of test animals/organisms.

LEL Lower explosive level.

OSHA American Occupational Safety and Health Administration.

TEL Tolerable Exposure Limit.

TLV Threshold Limit Value-an exposure limit set by responsible authority.

UEL Upper Explosive Level
WES Workplace Exposure Limit

References:

- 1. EPA Hazardous Substances (Safety Data Sheets) Notice 2017
- 2. Workplace Exposure Standards and Biological Exposure Indices Nov 2023 14th edition.
- 3. Assigning a hazardous substance to a HSNO Approval (Aug 2013).
- 4. Transport of Dangerous goods on land NZS 5433:2020
- 5. HSW (Hazardous Substances) Regulations 2017

Disclaimer

This document has been prepared by TCC (NZ) Ltd and serves as the suppliers Safety Data Sheet ('SDS'). It is based on information concerning the product which has been provided to TCC (NZ) Ltd or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer. While TCC (NZ) have taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, TCC (NZ) Ltd accept no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS

The information herein is given in good faith, but no warranty, express or implied is made.

Please contact Ravensdown, if further information is required.

Issue Date: 9 May 2024 Review Date: 9 May 2029

Product Name: **Pasture Guard Nurture**Date of SDS: 9 May 2024

SDS Prepared by: Technical Compliance Consultants (NZ) Ltd Tel: 64 9 475 5240 www.techcomp.co.nz

54 9 475 5240 www.techcomp.co.nz