Safety Data Sheet



Terbaflo®

Section 1: SUBSTANCE IDENTIFICATION AND SUPPLIER

Product Name:	Terbaflo
Product Code:	7962090 (20 Litres)
Recommended Use:	Selective herbicide for the control of certain grass and broadleaf weeds in maize, sweetcorn, forestry, established Lucerne and peas.
Restrictions of Use:	Refer to Section 15
Company Identification:	Ravensdown Limited
Address:	292 Main South Road, Hornby, Christchurch, 8042 PO Box 1049, Christchurch 8011
Customer Centre:	0800 100 123
National Poisons Information Centre:	0800 POISON (0800 764 766)
Emergency Phone Number:	0800 CHEMCALL (0800 243 622) (24hr) (Emergencies Only)
Transport Emergency Phone Number:	111 - tell operator what service is needed: Fire, Ambulance or Police
Date of SDS Preparation	9 May 2024 v2

Section 2: HAZARD IDENTIFICATION

This substance is hazardous according to the EPA Hazardous Substances (Classification) Notice 2020

EPA Approval No:	HSR000468
Pictograms:	! ★
Signal Word:	Warning

GHS Classification and Category	Hazard Code	Hazard Statement
Acute oral toxicity Cat. 4	H302	Harmful if swallowed.
Hazardous to the aquatic environment acute Cat. 1	H400	Very toxic to aquatic life.
Hazardous to the aquatic environment chronic Cat. 1	H410	Very toxic to aquatic life with long lasting effects.
Hazardous to soil organisms.	H421	Hazardous to soil organisms.

Prevention Code	Prevention Statement
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.
P264	Wash hands thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P273	Avoid release to the environment.

Response Code	Response Statement
P101	If medical advice is needed, have product container or label at hand.
P330	Rinse mouth.
P391	Collect spillage.
P301 + P312	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

Storage Code	Storage Statement
None allocated	

Product Name: **Terbaflo**Date of SDS: 31 May 2022

SDS Prepared by: Technical Compliance Consultants (NZ) Ltd

Tel: 64 9 475 5240 www.techcomp.co.nz

Disposal Code	Disposal Statement
P501	Dispose of according to Local Regulations or Authorities

Section 3: COMPOSITION INFORMATION

INGREDIENT	CAS No.	CONTENT
Terbuthylazine	5915-41-3	50%
Suspension agents	Proprietary	10%
Water	7732-18-5	To 100

Section 4: FIRST AID MEASURES

Routes of Exposure:	
If in eyes:	Rinse cautiously with water for several minutes. If eye irritation persists: Get medical advice/attention.
If on skin:	Take off contaminated clothing and wash affected area thoroughly with soap and water. If skin irritation occurs: Get medical advice/ attention.
If ingested:	Rinse mouth. Never give anything by mouth to an unconscious person. If swallowed DO NOT induce vomiting. For advice, contact the National Poisons Centre on 0800 POISON (0800 764 766). Seek medical assistance immediately.
If inhaled:	Remove patient to fresh air. Lay down and keep warm and rested. If breathing is shallow or has stopped ensure airway is clear and apply resuscitation. Seek medical assistance immediately.
Most important symp	toms and effects, both acute and delayed
Symptoms:	Please refer to Section 11 for full details and symptoms.
Eyes:	Not applicable.
Skin:	Not applicable.
Ingested:	Harmful if swallowed.
Inhaled:	Not applicable.
Chronic:	Not applicable.
Notes to Doctor:	No specific antidote. Treat symptomatically.

Section 5: FIRE FIGHTING MEASURES

Hazard Type	Non Flammable
Hazards from combustion products	If involved in a fire may evolve toxic fumes.
Suitable Extinguishing media	Water fog, foam, carbon dioxide or dry chemical.
Precautions for firefighters and	Full protective clothing and self-contained breathing apparatus.
special protective clothing	
HAZCHEM CODE	3Z

Section 6: ACCIDENTIAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:

Wear appropriate protective clothing as detailed in Section 8. Exclude non-essential people from the area.

Environmental precautions:

Prevent from entering drains, waterways or sewers. If spill does enter waterways contact local authority.

Methods and material for containment and cleaning up:

Contain spill and absorb with inert material such as soil, sand or absorbent granules and place in a sealable waste container. Dispose of according to Section 13.

Section 7: HANDLING AND STORAGE

Handling:	Read carefully and follow all instructions.
	Avoid contact with skin, eyes and inhalation of spray mist.
	Wash hands thoroughly after handling.
	Do not eat, drink or smoke when using this product.
	Avoid release to the environment.
	Wear protective clothing as detailed in Section 8.
	Record Keeping: Records of use as described in NZS 8409 Management of Agrichemicals must be kept
Storage:	Keep out of reach of children.
	Store away from incompatible materials listed in Section 10.
	Store in original container tightly closed and in a locked, dry, cool area away from foodstuffs,
	fertiliser, seed.
	Store in accordance with NZS 8409 Management of Agrichemicals. This product is subject to signage
	and secondary containment when stored in quantities of 100litres or more, either alone or in

Product Name: Terbaflo SDS Prepared by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 31 May 2022 Tel: 64 9 475 5240 www.techcomp.co.nz

Page **2** of **5**

aggregate with substances of the same hazard classification. More than 100litres requires emergency response plans. For full details refer to NZS 8409 Management of Agrichemicals and HSNO Regulations (Emergency Management and Identification Regulations).

Section 8: EXPOSURE CONTROL/PERSONAL PROTECTION

WORKPLACE EXPOSURE STANDARDS (provided for guidance only)

TWA STEL

Substance ppm mg/m³ ppm mg/m³

No ingredients have exposure limits

Workplace Exposure Standard – Time Weighted Average (WES-TWA). The time-weighted average exposure standard designed to protect the worker from the effects of long-term exposure. Workplace Exposure Standard – Short-Term Exposure Limit (WESSTEL). The 15-minute average exposure standard. Applies to any 15- Minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both the short-term and time-weighted average exposures apply. Workplace Exposure Standards and Biological Exposure Indices NOV 2023 14TH EDITION.

Engineering	Handle in well ventilated area. Use process enclosures, local exhaust ventilation, or other
Controls:	engineering controls to keep airborne levels below exposure limits. Avoid inhalation of spray mist.

Personal Protection Equipment:		
Eyes:	When opening the container, preparing spray and when contact with concentrate or solution is likely, wear safety goggles.	
Skin/Hands:	When opening the container, preparing spray and when contact with concentrate or solution is likely, wear waterproof gloves, cotton overalls buttoned to the neck and wrist, and boots.	
Respiratory:	Respiratory protection should be worn in areas of poor ventilation.	
General:	Do not eat, drink or smoke while using this product. Remove protective clothing and wash hands and face before meals and after work. Wash protective clothing daily after work.	

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

A	1::4	
Appearance	Liquid	
Colour	Light beige	
Odour	Odourless	
Odour Threshold	Not available	
рН	7.0 -8.0	
Boiling Point	Not available	
Melting Point	Not available	
Freezing Point	Not available	
Flash Point	Not available	
Flammability	Combustible	
Upper and Lower Explosive Limits	Not available	
Vapour Pressure	Not available	
Vapour Density	Not available	
Specific Gravity	1.16	
Water Solubility	Disperses in water	
Partition Coefficient:	Not available	
Auto-ignition Temperature	Not available	
Decomposition Temperature	Not available	
Kinematic Viscosity	Not available	
Particle Characteristics	Not available	
Other information	(SC) Suspension concentrate	

Section 10: STABILITY AND REACTIVITY

Stability of Substance	When stored appropriately this product should show no significant degradation for 2 years from the date of manufacture.	
Possibility of hazardous reactions	Not available	
Conditions to Avoid None known.		
Incompatible Materials	Avoid contact with strong oxidising agents.	

Product Name: **Terbaflo**Date of SDS: 31 May 2022

SDS Prepared by: Technical Compliance Consultants (NZ) Ltd
Tel: 64 9 475 5240 www.techcomp.co.nz

Hazardous Decomposition	None known.
Products	

Section 11: TOXICOLOGICAL INFORMATION

Acute Effects:

Swallowed	Harmful if swallowed. LD ₅₀ (rat) >2000mg/kg for terbuthylazine	
Dermal	Not applicable. LD ₅₀ (rat) >4000mg/kg for terbuthylazine	
Inhalation	Not applicable. LC ₅₀ (rat) (4hr) >5.3mg/l for terbuthylazine	
Eye	Not applicable.	
Skin	Not applicable.	

Chronic Effects:

Carcinogenicity	Not applicable.
Reproductive Toxicity	Not applicable.
Germ Cell Mutagenicity	Not applicable.
Aspiration	Not applicable.
STOT/SE	Not applicable.
STOT/RE	Not applicable.

Section 12: ECOLOGICAL INFORMATION

Very toxic to aquatic life with long lasting effects. Hazardous to soil organisms.

Product:

Persistence and	Potential for mobility as terbuthylazine is only weakly adsorbed by the soil. Microbial	
degradability/Mobility	degradation is the major cause of loss from the soil.	
	Half-life in soil is typically 30-60 days. Degradation is slower in cold temperatures and dry soils.	
Bioaccumulation	No data available.	
Other adverse effects	Avoid unintended release into streams and waterways.	

Ecotoxicity: Acute Toxicity (fish) (terbuthylazine)

LC₅₀ (rainbow trout) (96hr) 3.8-4.6mg/l

Acute Toxicity (daphnia) (terbuthylazine)

EC₅₀ (48hr) 21-50mg/l

Very toxic to aquatic organisms

Section 13: DISPOSAL INFORMATION

Disposal Method:	Triple rinse container and add rinsate to the spray tank.	
	Dispose of product only by using in accordance with label directions, or through Agrecovery	
	Chemical Recovery Service or alternative approved programs.	
Container Disposal:	Triple rinsed containers containing the Agrecovery logo on the label and that are free of all residues and have an intact legible label may be taken to an Agrecovery collection site for free recycling. Otherwise crush and bury in an approved landfill. Do not burn. Do not use container for any other purpose.	
Precautions or methods to avoic	: Do not allow product or empty container to contaminate any waterway.	

Section 14: TRANSPORT INFORMATION

This product is classified as a Dangerous Good for transport in NZ; NZS 5433:2020



Road, Rail, Sea and Air Transport

UN No	3082	
Class - Primary	9	
Packing Group	III	
Proper Shipping Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Terbuthylazine 50%)	
Marine Pollutant	Yes	
Hazchem Code	3Z	
Other Information	Do not carry more than 10lt of Terbaflo on a passenger service vehicle	
Special Provisions	If the product's individual container is below 5L it can be transported as a non-DG as long as	

Product Name: Terbaflo SDS Prepared by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 31 May 2022 Tel: 64 9 475 5240 www.techcomp.co.nz

Page **4** of **5**

the product packaging is still labelled as per DG requirements and the driver is given safety information in accordance with Chapter 3.4 of the UNRTDG.

Section 15: REGULATORY INFORMATION

This substance is classified hazardous according to the EPA Hazardous Substances (Classification) Notice 2020		
EPA Approval Code:	HSR000468	

HSW (HS) Regulations 2017		Trigger Quantity	
Signage Trigger Quantities (Schedule 3)	100L		
Emergency Response Plan (Schedule 5)	100L		
Secondary Containment (Schedule 5) 100L			
Tracking (Schedule 26)	Not requ	Not required	
Certified Handlers	Not requ	Not required	
Location Certificate	Not required		
HSNO Additional Controls (Restrictions of use)			
77A - The substance must not be applied onto or int		tance must not be applied onto or into water.	
ACVM Act and Regulations			
See <u>www.foodsafety.govt.nz</u> for registration conditions P7121			

Section 16: OTHER INFORMATION

Glossary

EC50Median effective concentration.EELEnvironmental Exposure Limit.EPAEnvironmental Protection AuthorityHSNOHazardous Substances and New Organisms.

HSW Health and Safety at Work.

LC50 Lethal concentration that will kill 50% of the test organisms inhaling or ingesting it.

LD₅₀ Lethal dose to kill 50% of test animals/organisms.

LEL Lower explosive level.

OSHA American Occupational Safety and Health Administration.

TEL Tolerable Exposure Limit.

TLV Threshold Limit Value-an exposure limit set by responsible authority.

UEL Upper Explosive Level
WES Workplace Exposure Limit

References:

- 1. EPA Hazardous Substances (Safety Data Sheets) Notice 2017
- 2. Workplace Exposure Standards and Biological Exposure Indices Nov 2023 14th edition.
- 3. Assigning a hazardous substance to a HSNO Approval (Aug 2013).
- 4. Transport of Dangerous goods on land NZS 5433:2020
- 5. HSW (Hazardous Substances) Regulations 2017

Disclaimer

This document has been prepared by TCC (NZ) Ltd and serves as the suppliers Safety Data Sheet ('SDS'). It is based on information concerning the product which has been provided to TCC (NZ) Ltd or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer. While TCC (NZ) have taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, TCC (NZ) Ltd accept no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS

The information herein is given in good faith, but no warranty, express or implied is made.

Please contact Ravensdown, if further information is required.

Issue Date: 9 May 2024 Review Date: 9 May 2029

Product Name: **Terbaflo**Date of SDS: 31 May 2022

SDS Prepared by: Technical Compliance Consultants (NZ) Ltd

Tel: 64 9 475 5240 www.techcomp.co.nz