

1/11

VIMOY IBLON

Version 1 / NZ

102000037709

Revision Date: 06.09.2019
Print Date: 06.09.2019

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade name VIMOY IBLON Product code (UVP) 86808242

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Fungicide EPA-Nr. HSR101374

1.3 Details of the supplier of the safety data sheet

Supplier Bayer New Zealand Limited

3 Argus Place, Hillcrest

Auckland 0627 New Zealand

Telephone 0800 428 246

Telefax (09) 441 8645

1.4 Emergency telephone no.

Emergency Number 0800 734 607 (24hr)

Global Incident Response

Hotline (24h)

+1 (760) 476-3964 (Company 3E for Bayer AG, Crop Science Division)

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classified as hazardous according to the criteria in the Hazardous Substances (Minimum Degrees of Hazard) Notice 2017 as amended

6.1E

H305 May be harmful if swallowed and enters airways.

6.4A

H320 Causes eye irritation.

6.5B

H317 May cause an allergic skin reaction.

6.9B

H373 May cause damage to organs through prolonged or repeated exposure if

swallowed.

9.1B

H411 Toxic to aquatic life with long lasting effects.

9.4C

H443 Harmful to terrestrial invertebrates.



2/11

VIMOY IBLON

Version 1 / NZ Revision Date: 06.09.2019
102000037709 Print Date: 06.09.2019

2.2 Label elements

Labelling in accordance with the Hazardous Substances (Safety Data Sheets) Notice 2017 as amended







Signal word: Warning Hazard statements

H305 May be harmful if swallowed and enters airways.

H320 Causes eye irritation.

H317 May cause an allergic skin reaction.

H373 May cause damage to organs through prolonged or repeated exposure if swallowed.

H411 Toxic to aquatic life with long lasting effects.

H443 Harmful to terrestrial invertebrates.

Precautionary statements

P102 Keep out of reach of children.

P103 Read label before use.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P305 + P351 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

+ P338 present and easy to do. Continue rinsing. P302 + P352 IF ON SKIN: Wash with plenty of water/ soap.

P321 Specific treatment (see supplemental first aid instructions on this label).

P391 Collect spillage.

P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor/ physician. P501 Dispose of contents/container in accordance with local regulation.

2.3 Other hazards

No other hazards known.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Chemical nature

Emulsifiable concentrate (EC) Isoflucypram 50 g/L

Hazardous components

Name	CAS-No.	Conc. [%]
Isoflucypram	1255734-28-1	5.15
2-Ethylhexanol propylene ethyleneglycol ether	64366-70-7	1 – < 25.0
N,N-Dimethyl decanamide	14433-76-2	> 20.0
Solvent Naphtha (petroleum), heavy aromatic, <0,1% naphthalene	64742-94-5	>= 10.0

Further information



3/11

VIMOY IBLON

Version 1 / NZ
102000037709

Revision Date: 06.09.2019
Print Date: 06.09.2019

Isoflucypram 1255734-28	M-Factor: 10 (acute), 1 (chronic)
-------------------------	-----------------------------------

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General advice Move out of dangerous area. Remove contaminated clothing

immediately and dispose of safely. Place and transport victim in stable

position (lying sideways).

Inhalation Move to fresh air. Keep patient warm and at rest. Call a physician or

poison control center immediately.

Skin contact Wash off thoroughly with plenty of soap and water, if available with

polyethyleneglycol 400, subsequently rinse with water. If symptoms

persist, call a physician.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation

develops and persists.

Ingestion Do NOT induce vomiting. Call a physician or poison control center

immediately. To prevent aspiration of swallowed product, lay in stable position on one side. Risk of product entering the lungs on vomiting

after ingestion. Rinse mouth.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms If large amounts are ingested, the following symptoms may occur:

Headache, Nausea, Dizziness, Somnolence

Ingestion may cause gastrointestinal irritation, nausea, vomiting and

diarrhoea.

Aspiration may cause pulmonary oedema and pneumonitis.

Inhalation may provoke the following symptoms: Cough, Shortness of breath, Cyanosis, Fever Symptoms and hazards refer to the solvent.

4.3 Indication of any immediate medical attention and special treatment needed

Risks Contains hydrocarbon solvents. May pose an aspiration pneumonia

hazard.

Treatment Treat symptomatically. Gastric lavage is not normally required.

However, if a significant amount (more than a mouthful) has been ingested, administer activated charcoal and sodium sulphate. In case of aspiration intubation and bronchial lavage should be considered. Monitor: kidney, liver and pancreas function. There is no specific

antidote. Contraindication: derivatives of adrenaline.

Contact the National Poisons and Hazardous Chemicals Information center in Dunedin, PO Box 913, Dunedin. Phone 0800 POISON (0800 764 766).



4/11

VIMOY IBLON

 Version 1 / NZ
 Revision Date: 06.09.2019

 102000037709
 Print Date: 06.09.2019

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable Use water spray, alcohol-resistant foam, dry chemical or carbon

dioxide.

5.2 Special hazards arising from the substance or

mixture

In the event of fire the following may be released:, Hydrogen chloride (HCI), Hydrogen cyanide (hydrocyanic acid), Hydrogen fluoride, Carbon monoxide (CO), Nitrogen oxides (NOx), Sulphur oxides

5.3 Advice for firefighters

Special protective equipment for firefighters

In the event of fire and/or explosion do not breathe fumes. In the event

of fire, wear self-contained breathing apparatus.

Further information Contain the spread of the fire-fighting media. Do not allow run-off from

fire fighting to enter drains or water courses.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Precautions Avoid contact with spilled product or contaminated surfaces. Use

personal protective equipment.

6.2 Environmental

precautions

Do not allow to get into surface water, drains and ground water.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid

binder, universal binder, sawdust). Clean contaminated floors and objects thoroughly, observing environmental regulations. Keep in

suitable, closed containers for disposal.

6.4 Reference to other

sections

Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling Use only in area provided with appropriate exhaust ventilation.

Advice on protection against fire and explosion

Keep away from heat and sources of ignition. Take measures to prevent

the build up of electrostatic charge.

Hygiene measures Avoid contact with skin, eyes and clothing. Keep working clothes

separately. Wash hands before breaks and immediately after handling the product. Wash hands immediately after work, if necessary take a shower. Remove soiled clothing immediately and clean thoroughly



5/11

VIMOY IBLON

Version 1 / NZ
102000037709

Revision Date: 06.09.2019
Print Date: 06.09.2019

before using again. Garments that cannot be cleaned must be destroyed (burnt).

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Keep containers tightly closed in a dry, cool and well-ventilated place. Store in original container. Store in a place accessible by authorized persons only. Keep away from direct sunlight. Protect from freezing.

Advice on common storage

Keep away from food, drink and animal feedingstuffs.

Suitable materials

Coex HDPE/EVOH/HDPE

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

No known occupational limit values.

8.2 Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection

If product is handled while not enclosed, and if contact may occur: Wear respirator with an organic vapours and gas filter mask (protection factor 10) conforming to EN140 type A or equivalent. Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

Hand protection

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating,

drinking, smoking or using the toilet.

Material Nitrile rubber
Rate of permeability > 480 min
Glove thickness > 0.4 mm
Protective index Class 6

Directive Protective gloves complying with EN

374.

Eye protection

Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).

Skin and body protection

Wear standard coveralls and Category 3 Type 4 suit.

If there is a risk of significant exposure, consider a higher protective

type suit.

Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and



6/11

VIMOY IBLON

Version 1 / NZ

102000037709

Revision Date: 06.09.2019

Print Date: 06.09.2019

should be professionally laundered frequently.

If chemical protection suit is splashed, sprayed or significantly contaminated, decontaminate as far as possible, then carefully

remove and dispose of as advised by manufacturer.

General protective measures If product is handled while not enclosed, and if contact may occur:

Complete suit protecting against chemicals

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Form Liquid, clear to slightly turbid

Colour yellow to brown

Odour aromatic

pH 6.0 - 8.0 (1 %) (23 °C) (deionized water)

Flash point 136 °C Auto-ignition temperature 355 °C

Density 0.97 g/cm³ (20 °C)

Partition coefficient: n-

octanol/water

Isoflucypram: log Pow: 4 (25 °C) (pH 7)

N,N-Dimethyldecanamide: log Pow: 2.46

Viscosity, kinematic 17.14 mm²/s (40 °C)

17.14 mm²/s (40 °C)

Surface tension 27 mN/m (25 °C)

Oxidizing properties No oxidizing properties

Explosivity Not explosive

Regulation (EC) No. 440/2008, Annex, A.14

9.2 Other information The physico-chemical data refer to a similar formulation.

Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

Thermal decomposition Stable under normal conditions.

10.2 Chemical stability Stable under recommended storage conditions.

10.3 Possibility of No hazardous reactions when stored and handled according to

hazardous reactions prescribed instructions.



VIMOY IBLON 7/11

 Version 1 / NZ
 Revision Date: 06.09.2019

 102000037709
 Print Date: 06.09.2019

10.4 Conditions to avoid Extremes of temperature and direct sunlight.

10.5 Incompatible materials Store only in the original container.

10.6 Hazardous

decomposition products

No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute oral toxicity LD50 (Rat) > 2,000 mg/kg

Test conducted with a similar formulation.

Acute inhalation toxicity LC50 (Rat) > 5.03 mg/l

Exposure time: 4 h

Test conducted with a similar formulation.

Acute dermal toxicity LD50 (Rat) > 2,000 mg/kg

Test conducted with a similar formulation.

Skin corrosion/irritation No skin irritation (Rabbit)

Test conducted with a similar formulation.

Not corrosive. (Rabbit)

Test conducted with a similar formulation.

Serious eye damage/eye

irritation

Irritating to eyes. (Rabbit)

Test conducted with a similar formulation.

Respiratory or skin Skin: Sensitising (Mouse)

sensitisation OECD Test Guideline 429, local lymph node assay (LLNA)

Test conducted with a similar formulation.

Assessment STOT Specific target organ toxicity - single exposure

Isoflucypram: Based on available data, the classification criteria are not met.

N,N-Dimethyldecan-1-amide: May cause respiratory irritation.

Assessment STOT Specific target organ toxicity - repeated exposure

Isoflucypram: May cause damage to organs through prolonged or repeated exposure.

N,N-Dimethyldecanamide did not cause specific target organ toxicity in experimental animal studies.

Assessment mutagenicity

Isoflucypram was not genotoxic in a battery of in vitro and in vivo tests. N,N-Dimethyldecanamide was not genotoxic in a battery of in vitro tests.

Assessment carcinogenicity

Isoflucypram was not carcinogenic in lifetime feeding studies in rats and mice.

N,N-Dimethyldecanamide is not considered carcinogenic.

Assessment toxicity to reproduction

Isoflucypram did not cause reproductive toxicity in a two-generation study in rats.

N.N-Dimethyldecanamide is not considered a reproductive toxicant at non-maternally toxic dose levels.

Assessment developmental toxicity

Isoflucypram did not cause developmental toxicity in rats and rabbits.



VIMOY IBLON 8/11

Version 1 / NZ
102000037709

Revision Date: 06.09.2019
Print Date: 06.09.2019

N,N-Dimethyldecanamide did not cause developmental toxicity in rats and rabbits.

Aspiration hazard

May be fatal if swallowed and enters airways.

Further information

No further toxicological information is available.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish LC50 (Fish) 1.29 mg/l

Exposure time: 96 h

Test conducted with a similar formulation.

EC50 (Daphnia magna (Water flea)) 2.22 mg/l

Toxicity to aquatic

invertebrates Exposure

Exposure time: 48 h

Test conducted with a similar formulation.

Toxicity to aquatic plants ErC50 (Algae) 3.39 mg/l

Exposure time: 72 h

Test conducted with a similar formulation.

12.2 Persistence and degradability

Biodegradability Isoflucypram:

Not rapidly biodegradable N,N-Dimethyldecanamide: rapidly biodegradable

Koc Isoflucypram: Koc: 1580

12.3 Bioaccumulative potential

Bioaccumulation Isoflucypram: Bioconcentration factor (BCF) 370

N,N-Dimethyldecanamide: Does not bioaccumulate.

12.4 Mobility in soil

Mobility in soil Isoflucypram: Immobile in soil

N,N-Dimethyldecanamide: Slightly mobile in soils

12.5 Results of PBT and vPvB assessment

bioaccumulative and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulative (vPvB).

N,N-Dimethyldecanamide: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

12.6 Other adverse effects



9/11

VIMOY IBLON

Version 1 / NZ

102000037709

Revision Date: 06.09.2019
Print Date: 06.09.2019

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product Dispose of this product only by using according to the label, or at an

approved landfill or other approved facility.

Contaminated packaging Triple rinse containers. Recycle if possible. If allowed under local

authority, burn if circumstances, especially wind direction permit, otherwise crush and bury in an approved local authority facility. Do not

use container for any other purpose.

SECTION 14: TRANSPORT INFORMATION

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

ADR/RID/ADN

14.1 UN number 3082

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(ISOFLUCYPRAM, SOLVENT NAPHTHA (PETROLEUM)

HEAVY AROMATIC SOLUTION)

14.3 Transport hazard class(es)
14.4 Packaging Group
14.5 Environm. Hazardous Mark
YES

Hazchem Code 3Z

IMDG

14.1 UN number **3082**

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(ISOFLUCYPRAM, SOLVENT NAPHTHA (PETROLEUM)

HEAVY AROMATIC SOLUTION)

14.3 Transport hazard class(es) 9
14.4 Packaging Group III
14.5 Marine pollutant YES

IATA

14.1 UN number **3082**

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(ISOFLUCYPRAM, SOLVENT NAPHTHA (PETROLEUM)

HEAVY AROMATIC SOLUTION)

14.3 Transport hazard class(es)
14.4 Packaging Group
14.5 Environm. Hazardous Mark
YES

14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code



VIMOY IBLON 10/11

Version 1 / NZ

102000037709

Revision Date: 06.09.2019

Print Date: 06.09.2019

No transport in bulk according to the IBC Code.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Further information

HSNO approval-Nr. HSR101374

HSNO Controls See www.epa.govt.nz

ACVM Reg. P9617

ACVM Condition See www.foodsafety.govt.nz

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms

ADN European Agreement concerning the International Carriage of Dangerous Goods by

Inland Waterways

ADR European Agreement concerning the International Carriage of Dangerous Goods by

Road

ATE Acute toxicity estimate

CAS-Nr. Chemical Abstracts Service number

Conc. Concentration

ECx Effective concentration to x %

EINECS European inventory of existing commercial substances

ELINCS European list of notified chemical substances

EU European Standard EU European Union

IATA International Air Transport Association

IBC International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk (IBC Code) Inhibition concentration to x %

IMDG International Maritime Dangerous Goods

LCx Lethal concentration to x %

LDx Lethal dose to x %

ICx

LOEC/LOEL Lowest observed effect concentration/level

MARPOL: International Convention for the prevention of marine pollution from ships

N.O.S. Not otherwise specified

NOEC/NOEL No observed effect concentration/level

OECD Organization for Economic Co-operation and Development

RID Regulations concerning the International Carriage of Dangerous Goods by Rail

TWA Time weighted average

UN United Nations

WHO World health organisation

The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe products in terms of their safety requirements. The above details do not imply any guarantee concerning composition, properties or performance of the product.



VIMOY IBLON

Version 1 / NZ 102000037709

11/11 Revision Date: 06.09.2019 Print Date: 06.09.2019

Changes since the last version are highlighted in the margin. This version replaces all previous versions.