

## SAFETY DATA SHEET

### Section 1. Identification of the material and the supplier

Product: **WUXAL Grano**  
 Product Use: Fertiliser  
 Restriction of Use: Refer to Section 15

New Zealand Supplier: Horticulture Ltd  
 Address: 10 Firth Street  
 Drury, 2113

Telephone: +64 9 294 8453  
 Fax Number: +64 9 294 7272

**Emergency Telephone: 0800 764 766 (National Poison Centre)**

Date of SDS Preparation: 9 July 2024 v3

### Section 2. Hazards Identification

The manufacturer has stated that this substance is NOT hazardous as per EPA Hazardous Substances (Classification) Notice 2020.

### Section 3. Composition / Information on Ingredients

Ingredients	Wt%	CAS NUMBER.
Ethylenediaminetetraacetic acid copper(II) diammonium salt	1-<2	67989-88-2
Non-hazardous ingredients	To 100	-

### Section 4. First Aid Measures

Routes of Exposure:

If in Eyes: Rinse cautiously with water for 15 minutes. If eye irritation persists: Get medical advice.

If on Skin: Wash with plenty of soap and water. If skin irritation occurs: get medical advice/attention.

If Swallowed: Rinse mouth. Never give anything to the mouth of an unconscious person. If vomiting occurs, place victim face downwards, with the head turned to the side and lower than the hips to prevent vomit entering the lungs. Seek medical attention if needed.

If Inhaled: Remove person to fresh air. Remove contaminated clothing and loosen remaining clothing. Allow person to assume most comfortable position and keep warm. Keep at rest until fully recovered. Get medical advice if breathing becomes difficult.

**Most important symptoms and effects, both acute and delayed**

Symptoms: None known.

**Section 5. Fire Fighting Measures**

<b>Hazard Type</b>	The product itself does not burn.
<b>Hazards from combustion products</b>	Hazardous combustion products: nitrogen oxides, Ammonia, Sulphur oxides
<b>Suitable Extinguishing media</b>	Water spray jet, Water mist, carbon dioxide, Powder Do not use strong water jet
<b>Precautions for firefighters and special protective clothing</b>	Provide a conveniently located respiratory protective device. Do not allow water used to extinguish fire to enter drains, ground or waterways.
<b>HAZCHEM CODE</b>	<b>None allocated</b>

**Section 6. Accidental Release Measures**

Wear protective equipment as detailed in Section 8. Clear area of any unprotected personnel. Provide adequate ventilation.

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13). Do not allow to enter into surface water or drains.

**Section 7. Handling and Storage****Precautions for Handling:**

- Read label before use.
- Avoid contact with skin, eyes and clothes.
- When using do not eat, drink or smoke
- Wear protective clothing.

**Precautions for Storage:**

- Store in original containers.
- Keep containers securely sealed.
- Protect from heat and direct sunlight.
- Do not store together with: Food and feeding stuffs.
- Store in a well-ventilated and dry room at temperatures between 5 °C and 40 °C.
- Store away from incompatible materials and foodstuff containers.

**Section 8 Exposure Controls / Personal Protection****WORKPLACE EXPOSURE STANDARDS (provided for guidance only)**

Substance	TWA		STEL	
	ppm	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>

No ingredients have exposure limits

Workplace Exposure Standard – Time Weighted Average (WES-TWA). The time-weighted average exposure standard designed to protect the worker from the effects of long-term exposure. Workplace Exposure Standard – Short-Term Exposure Limit (WESSTEL). The 15-minute average exposure standard. Applies to any 15- Minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both the short-term and time-weighted average exposures apply. Workplace Exposure Standards and Biological Exposure Indices NOV 2023 14TH EDITION.

**Engineering Controls**

Product Name: WUXAL Grano  
Date of SDS: 9 July 2024

SDS Prepared by: Technical Compliance Consultants (NZ) Ltd  
Tel: 64 9 475 5240 [www.techcomp.co.nz](http://www.techcomp.co.nz)

Do not allow to enter into surface water or drains. See chapter 7. No additional measures necessary.

### Personal Protection Equipment

<b>Eyes</b>	Wear closely fitting protective glasses in case of splashes.
<b>Hands and Skin</b>	For prolonged or repeated handling the following glove material must be used: e.g. NBR (Nitrile rubber). After contact clean skin thoroughly with water and soap or use appropriate cleanser.
<b>Respiratory</b>	Usually no personal respirative protection necessary.

## Section 9 Physical and Chemical Properties

<b>Appearance</b>	Green Liquid
<b>Odour</b>	Characteristic
<b>Odour Threshold</b>	Not available
<b>pH at 20°C</b>	6,8
<b>Boiling Point</b>	Not available
<b>Melting Point</b>	Not available
<b>Freezing Point</b>	Not available
<b>Flash Point</b>	Not available
<b>Flammability</b>	Not applicable
<b>Upper and Lower Explosive Limits</b>	Not available
<b>Vapour Pressure</b>	Not available
<b>Vapour Density</b>	Not available
<b>Density at 20°C</b>	1.37 g/cm <sup>3</sup>
<b>Solubilities</b>	Very soluble
<b>Partition Coefficient:</b>	Not available
<b>Auto-ignition Temperature</b>	Not available
<b>Decomposition Temperature</b>	Not available
<b>Kinematic Viscosity</b>	Not available
<b>Particle Characteristics</b>	Not applicable

## Section 10. Stability and Reactivity

<b>Stability of Substance</b>	This product is stable under normal conditions of use and storage.
<b>Conditions to Avoid</b>	Protect from heat and direct sunlight.
<b>Incompatible Materials</b>	Alkali (lye)
<b>Hazardous Decomposition Products</b>	Does not decompose when used for intended uses. Hazardous decomposition byproducts may form with exposure to high temperatures: nitrogen oxides, Ammonia, Sulphur oxides.

## Section 11 Toxicological Information

Acute toxicity WUXAL Grano  
oral, LD50, Rat: > 5000 mg/kg Calculation method.  
Ethylenediaminetetraacetic acid copper(II) diammonium salt oral,  
LD50, Rat: > 300 mg/kg

### Acute Effects:

<b>Swallowed</b>	Not applicable
<b>Dermal</b>	Not applicable
<b>Inhalation</b>	Not applicable
<b>Eye</b>	Not applicable
<b>Skin</b>	Not applicable

**Chronic Effects:**

<b>Carcinogenicity</b>	Not applicable.
<b>Reproductive Toxicity</b>	Not applicable.
<b>Germ Cell Mutagenicity</b>	Not applicable.
<b>Aspiration</b>	Not applicable.
<b>STOT/SE</b>	Not applicable.
<b>STOT/RE</b>	Not applicable.

**Section 12. Ecotoxicological Information**

This product is not hazardous to the environment.

<b>Persistence and degradability</b>	No data available
<b>Bioaccumulation</b>	No data available
<b>Mobility in Soil</b>	No data available
<b>Other adverse effects</b>	No data available

**Section 13. Disposal Considerations****Disposal Method:**

Triple rinse and dispose of according to Local Regulations.

**Precautions and methods to avoid:**

Do not allow to enter waterways.

**Section 14 Transport Information**

This product is NOT classified as a Dangerous Good for transport in NZ ; NZS 5433:2020

**Section 15 Regulatory Information**

The manufacturer has stated that this substance is NOT hazardous as per EPA Hazardous Substances (Classification) Notice 2020.

**Section 16 Other Information****Glossary**

Cat	Category
EC <sub>50</sub>	Median effective concentration.
EEL	Environmental Exposure Limit.
EPA	Environmental Protection Authority
HSNO	Hazardous Substances and New Organisms.
LC <sub>50</sub>	Lethal concentration that will kill 50% of the test organisms inhaling or ingesting it.
LD <sub>50</sub>	Lethal dose to kill 50% of test animals/organisms.
LEL	Lower explosive level.
OSHA	American Occupational Safety and Health Administration.
TEL	Tolerable Exposure Limit.
TLV	Threshold Limit Value-an exposure limit set by responsible authority.
UEL	Upper Explosive Level
WES	Workplace Exposure Limit

**References:**

1. EPA Hazardous Substances (Safety Data Sheets) Notice 2017
2. Workplace Exposure Standards and Biological Exposure Indices Nov 2023 14<sup>th</sup> edition.
3. Assigning a hazardous substance to a HSNO Approval (Aug 2013).

4. Transport of Dangerous goods on land NZS 5433:2020
5. HSW (Hazardous Substances) Regulations 2017

#### Disclaimer

This document has been prepared by TCC (NZ) Ltd and serves as the suppliers Safety Data Sheet ('SDS'). It is based on information concerning the product which has been provided to TCC (NZ) Ltd or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer. While TCC (NZ) have taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, TCC (NZ) Ltd accept no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS

The information herein is given in good faith, but no warranty, express or implied is made.

Please contact the New Zealand distributor, if further information is required.

Issue Date: 9 July 2024      Review Date: 9 July 2029