

# **SAFETY DATA SHEET**

#### Section 1. Identification of the material and the supplier

WUXAL<sup>®</sup> Microplant Product:

Product No:

Fertiliser, preparation for plant nutrition. Product Use:

Restriction of Use: Refer to Section 15

New Zealand Supplier: Horticentre Ltd Address: 10 Firth Street

Drury, 2113

Telephone: +64 9 294 8453 Fax Number: +64 9 294 7272

**Emergency Telephone:** 0800 764 766 (National Poison Centre)

Date of SDS Preparation: 25 July 2019 v2

#### Section 2. **Hazards Identification**

This substance is hazardous according to the EPA Hazardous Substances (Classification) Notice 2017

Group Standard & EPA Approval Code: Fertilisers (subsidiary) - HSR002571

# **Pictograms**



Chronic

Signal Word: WARNING

| HSNO Class. | Hazard<br>Code | Hazard Statement                                     | GHS Category  |
|-------------|----------------|--|---------------|
| 6.3B        | H316           | Causes mild skin irritation.                         | Skin Irrit. 3 |
| 6.8B        | H361           | Suspected of damaging fertility or the unborn child. | Repr. 2       |

# **Prevention Code** Prevention Statement

| P103 | Read label before use.  |
|------|---|
| P201 | Obtain special instructions before use.                                   |
| P202 | Do not handle until all safety precautions have been read and understood. |
| P281 | Use personal protective equipment as required.                            |

#### **Response Code Response Statement**

Product Name: WUXAL Microplant Prepared by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 25 July 2019

Tel: 64 9 475 5240 www.techcomp.co.nz

| P308 + P313 | IF exposed or concerned: Get medical advice/ attention.   |
|-------------|---|
| P332 + P313 | If skin irritation occurs: Get medical advice/ attention. |

**Storage Code Storage Statement** 

P405 Store locked up.

Disposal Code Disposal Statement

P501 Triple rinse container. Cleaned packaging maybe offered for recycling or landfill in accordance with local regulations. Dispose of unwanted product as a hazardous material according to Local Regulations.

# Section 3. Composition / Information on Ingredients

| Ingredients | Wt% | CAS NUMBER. |
|-------------|-----|-------------|
| Boric Acid  | <2% | 10043-35-3  |

#### Section 4. First Aid Measures

### Routes of Exposure:

If in Eyes Rinse cautiously with water for several minutes. If eye irritation persists:

Get medical advice.

If on Skin Wash with plenty of soap and water. If skin irritation occurs: get medical

advice/attention.

If Swallowed Immediately rinse the mouth with water, then drink a lot of water. Consult

the doctor in case of persistent trouble.

If Inhaled Remove person to fresh air. Remove contaminated clothing and loosen

remaining clothing. Allow person to assume most comfortable position and keep warm. Keep at rest until fully recovered. Get medical advice if

breathing becomes difficult.

### Most important symptoms and effects, both acute and delayed

Symptoms:

**Ingestion:** Not applicable **Inhalation:** Not applicable

**Skin:** Causes mild skin irritation.

**Eye:** Not applicable.

**Chronic:** Suspected of damaging fertility or the unborn child.

# Section 5. Fire Fighting Measures

| Hazard Type  | Non Flammable  |
|--|--|
| Hazards from decomposition products                          | The material itself is harmless and hardly inflammable. Ambient fire may liberate hazardous vapours. If larger quantities of the product are on fire, the formation of nitrous gases, ammonia and phosphoric acid gases is possible. |
| Suitable<br>Extinguishing<br>media                           | Water, carbon dioxide, dry extinguishing media.  |
| Precautions for firefighters and special protective clothing | Do not stay in dangerous zone without suitable protecting clothes and self-contained breathing apparatus. Contain escaping vapours with water. Prevent fire-fighting water from entering surface water or groundwater.               |
| HAZCHEM CODE   | None allocated   |

Product Name: WUXAL Microplant Prepared by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 25 July 2019 Prepared by: Technical Compliance Consultants (NZ) Ltd Tel: 64 9 475 5240 www.techcomp.co.nz

### Section 6. Accidental Release Measures

Avoid substance contact. Wear closed working clothes, protecting glasses and hand protection. Remove soiled clothes.

Take up with absorption media. Disposal of contaminated material as waste according to section 13.

Ensure that the product does not reach the ground-water, water bodies or the drainage system.

# Section 7. Handling and Storage

### Handling

- Read label before use.
- Obtain special instructions before use.
- Do not handle until all safety precautions have been read and understood.
- Use personal protective equipment as required.

#### **Storage**

- Protect the product from impurity and drying up.
- Keep containers tightly closed.
- Store locked up.
- Do not store below +5 °C and above +40 °C.
- Do not store in metal containers (corrosion risk).

### Section 8 Exposure Controls / Personal Protection

### **WORKPLACE EXPOSURE STANDARDS (provided for guidance only)**

TWA STEL Substance ppm mg/m³ ppm mg/m³

No ingredient has exposure limits

Workplace Exposure Standard – Time Weighted Average (WES-TWA). The time-weighted average exposure standard designed to protect the worker from the effects of long-term exposure. Workplace Exposure Standard – Short-Term Exposure Limit (WESSTEL). The 15-minute average exposure standard. Applies to any 15- Minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both the short-term and time-weighted average exposures apply. Workplace Exposure Standards and Biological Exposure Indices NOV 2017 9TH EDITION.

# **Engineering**

**Controls** Ensure adequate ventilation to minimize exposure

### **Personal Protection Equipment**





| Eyes        | Safety goggles.   |  |  |
|-------------|---|--|--|
| Hands       | Wear rubber or plastic gloves.  |  |  |
| Skin        | Closed working clothes.   |  |  |
| Respiratory | Not required. Respiratory protection necessary at aerosol and wet fog formation.                            |  |  |
| General     | Do not eat and drink at work. Remove immediately soiled and soaked clothes. Wash hands and face after work. |  |  |

#### Section 9 Physical and Chemical Properties

Product Name: WUXAL Microplant Prepared by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 25 July 2019 Tel: 64 9 475 5240 www.techcomp.co.nz

| Appearance                      | Aqueous crystal suspension                  |
|---------------------------------|---|
| Colour                          | Green to brown                              |
| Odour                           | Product specific                            |
| Odour Threshold                 | Not applicable                              |
| pH (original state)             | Approx 6.5                                  |
| pH at 16g/l H2O and 20°C:       | Approx 7                                    |
| Change in physical              | > 100°C evaporation of water                |
| state                           |   |
| Boiling Point                   | Not applicable                              |
| Melting Point                   | Not applicable                              |
| Freezing Point                  | Not applicable                              |
| Flash Point                     | Not applicable                              |
| Flammability                    | Not applicable                              |
| Upper and Lower                 | Not applicable                              |
| <b>Explosive Limits</b>         |   |
| <b>Explosive hazards</b>        | Not applicable                              |
| Vapour Pressure                 | Not applicable                              |
| Vapour Density                  | Not applicable                              |
| Density @ 20°C                  | approx. 1.5 g/cm <sup>3</sup>               |
| Water Solubility @ 20°C         | Approx 200g/l                               |
| Partition Coefficient:          | Not applicable                              |
| Self-ignition                   | The product is not spontaneously flammable. |
| Decomposition                   | Not applicable                              |
| Temperature                     |   |
| <b>Kinematic Viscosity</b>      | Not applicable                              |
| <b>Particle Characteristics</b> | Not applicable                              |

# Section 10. Stability and Reactivity

| Stability of Substance         | This product is stable under normal conditions.                   |  |
|--------------------------------|---|--|
| Possibility of hazardous       | None known.   |  |
| reactions                      |   |  |
| Conditions to Avoid            | Temperatures above +40° C. Keep the product from drying up.       |  |
| Incompatible Materials         | Alkalis   |  |
| <b>Hazardous Decomposition</b> | If larger quantities of the product are on fire, the formation of |  |
| Products                       | nitrous gases, ammonia is possible.                               |  |

#### **Toxicological Information** Section 11

# **Acute Effects:**

| Swallowed  | Not applicable. LD50 (oral): = >5000 mg/kg. |
|------------|---|
| Dermal     | Not applicable.                             |
| Inhalation | Not applicable.                             |
| Eye        | Not applicable.                             |
| Skin       | Causes mild skin irritation.                |

# **Chronic Effects:**

| Carcinogenicity | Not applicable.                                      |  |
|-----------------|--|--|
| Reproductive    | Suspected of damaging fertility or the unborn child. |  |
| Toxicity        |  |  |
| Germ Cell       | Not applicable.                                      |  |
| Mutagenicity    |  |  |
| Aspiration      | Not applicable.                                      |  |

Product Name: WUXAL Microplant Date of SDS: 25 July 2019 Prepared by: Technical Compliance Consultants (NZ) Ltd Tel: 64 9 475 5240 www.techcomp.co.nz

| STOT/SE | Not applicable. |
|---------|-----------------|
| STOT/RE | Not applicable. |

# **Individual component information:**

### **Acute Toxicity:**

| <b>Chemical Name</b> | Oral - LD50 | Dermal - LD50 | Inhalation - LC50 |
|----------------------|-------------|---------------|-------------------|
| Boric Acid           | 2668 mg/kg  | -             | -                 |
| (Cas no 10043-35-3)  | (mouse)     |               |                   |

# Section 12. Ecotoxicological Information

This product is not known to be hazardous to the environment.

# **Section 13. Disposal Considerations**

### **Disposal Method:**

Triple rinse container. Add rinsate to waste container for disposal. Cleaned packaging maybe offered for recycling or landfill in accordance with local regulations. Dispose of unwanted product as a hazardous material according to Local Regulations.

**Precautions or methods to avoid:** Do not allow to enter waterways.

#### **Section 14 Transport Information**

This product is not classified as a Dangerous Good for transport in NZ; NZS 5433:2012

#### **Section 15 Regulatory Information**

EPA Approval Code: Fertilisers (subsidiary) - HSR002571

HSNO Classification: 6.3B, 6.8B

| HSW (HS) Regulations 2017 and EPA Notices | Trigger Quantity                   |
|---|------------------------------------|
| Certified Handler                         | Not required                       |
| Location Certificate                      | Not required                       |
| Tracking Trigger Quantities               | Not required                       |
| Signage Trigger Quantities                | Not required                       |
| Emergency Response Plan                   | Not required                       |
| Secondary Containment                     | Not required                       |
| Restriction of Use                        | Only use for the intended purpose. |

#### **Section 16 Other Information**

Glossary

Median effective concentration.  $EC_{50}$ **EEL** Environmental Exposure Limit. **EPA Environmental Protection Authority** 

**HSNO** Hazardous Substances and New Organisms.

**HSW** Health and Safety at Work.

Lethal concentration that will kill 50% of the test organisms  $LC_{50}$ 

inhaling or ingesting it.

Lethal dose to kill 50% of test animals/organisms.  $LD_{50}$ 

LEL Lower explosive level.

**OSHA** American Occupational Safety and Health Administration.

TEL Tolerable Exposure Limit.

**TLV** Threshold Limit Value-an exposure limit set by responsible

authority.

Upper Explosive Level

Product Name: WUXAL Microplant Prepared by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 25 July 2019

Tel: 64 9 475 5240 www.techcomp.co.nz

#### References:

- 1. EPA Hazardous Substances (Safety Data Sheets) Notice 2017
- 2. Workplace Exposure Standards and Biological Exposure Indices Nov 2017 edition.
- 3. Assigning a hazardous substance to a HSNO Approval (Aug 2013).
- 4. Transport of Dangerous goods on land NZS 5433:2012
- 5. HSW (Hazardous Substances) Regulations 2017

#### Disclaimer

This document has been prepared by TCC (NZ) Ltd and serves as the suppliers Safety Data Sheet ('SDS'). It is based on information concerning the product which has been provided to TCC (NZ) Ltd or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer. While TCC (NZ) have taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, TCC (NZ) Ltd accept no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS

The information herein is given in good faith, but no warranty, express or implied is made.

Please contact the Horticentre, if further information is required.

Issue Date: 25 July 2019 Review Date: 25 July 2024

Product Name: WUXAL Microplant Prepared by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 25 July 2019 Tel: 64 9 475 5240 www.techcomp.co.nz