

# CROPMASTER 15

BATCH NUMBER:

BAGGING DATE:

Read label carefully and obtain special instructions before use. Do not handle until all safety precautions have been read and understood.

## PRODUCT DESCRIPTION

Cropmaster 15 is a blended multipurpose fertiliser, ideal for promoting plant health and growth.

## DIRECTIONS FOR USE

Rate of use: 20-35 grams/square metre recommended throughout the year with applications every 3 months for each successive crop grown. Water into soil after application. Due to the component of potassium chloride, it is recommended that an alternative fertiliser such as Nitrophoska or a general-purpose garden fertiliser containing sulphate of potash be used on chloride-sensitive crops including flowers, potatoes, lettuce, tomatoes, strawberries, citrus and avocados. Avoid fertiliser contacting paths, hard surfaces and driveways as the fertiliser may stain or discolour these surfaces.

## COMPONENTS

Nitrogen (N): 15%. Phosphorus (P): 10%. Potassium (K): 10%. Sulphur (S): 7%. Magnesium (Mg): 0.0%. Calcium (Ca): 0.0%.

### CONTAINS

Cropmaster DAP: 50%

Ammonium sulphate: 30%

Potassium chloride: 20%

## HANDLING PRECUATIONS AND STORAGE

### HANDLING

Keep out of reach of children. Avoid generating dust. Use only outdoors or in well-ventilated areas. Do not breathe dust. Do not eat, drink or smoke while using this product. Wash hands thoroughly after handling. Avoid unintended release into the environment. If additional safety information is required, refer to the Safety Data Sheet (SDS). For a copy of the SDS phone 0800 100 123.

### STORAGE

Store in a cool, dry area away from oxidising agents and foodstuffs.

## WARNINGS AND FIRST AID MEASURES

### TOXICITY DATA

HSNO Classes: acute oral, dermal, and inhalation toxicity Category 4; *Note: skin irritation Category 3 has not been adopted; eye irritation Category 2 Note: The subcategories 2A and 2B have not been adopted.*

DAP: LD50 (oral, rat) 3,000 mg/kg

Ammonium Sulphate: LD50 (oral, rat) 2,840 mg/kg

Potassium Chloride: LD50 (oral, rat) 2,600 mg/kg

Overall Low Toxicity, no adverse health effects expected under normal conditions.

### ECOLOGICAL INFORMATION

HSNO Classes: hazardous to the aquatic environment chronic Category 4 *Note: hazardous to the aquatic environment acute Category 2 and acute Category 3 have not been adopted; hazardous to terrestrial vertebrates.*

Avoid unintended release into streams and waterways.

#### IF IN EYES

Flush with plenty of water for several minutes, holding eyelids open if necessary. Remove contact lenses if present and easy to do. Continue rinsing for at least 15 minutes. If eye irritation persists seek medical assistance.

#### IF ON SKIN

Remove contaminated clothing then wash affected area thoroughly with soap and water. If a large area is affected seek medical assistance. Wash contaminated clothing before reuse.

#### IF INGESTED

Never give anything by mouth to an unconscious person. If swallowed rinse mouth but DO NOT induce vomiting. For advice, contact the National Poisons Centre. Seek medical assistance immediately.

#### IF INHALED

Remove patient to fresh air. Lie down and keep warm and rested. If breathing is shallow or has stopped ensure airway is clear and apply resuscitation. Seek medical assistance immediately.

For advice, or if you feel unwell, contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately. If medical advice is needed, have product container or label at hand.



## SUPPLIER INFORMATION

Imported, Manufactured and Distributed by Ravensdown Limited

[www.ravensdown.co.nz](http://www.ravensdown.co.nz)

0800 100 123