

**POTATO/TOMATO FERTILISER**

**BATCH NUMBER:**

**BAGGING DATE:**

**Read label carefully and obtain special instructions before use. Do not handle until all safety precautions have been read and understood.**

**PRODUCT DESCRIPTION**

Potato/Tomato fertiliser supplies a wide range of nutrients to support crop development and growth while replenishing nutrients to maintain soil status throughout the growing season.

**DIRECTIONS FOR USE**

Potato/Tomato fertiliser is typically applied at a rate of 20-30 grams/square metre recommended as a side dressing either annually or for each crop. Before planting, use 200 grams/square metre and mix thoroughly into the soil. Water into soil after any application. Avoid fertiliser contacting paths, hard surfaces and driveways as the fertiliser may stain or discolour these surfaces.

**COMPONENTS**

Nitrogen (N): 5.0-6.0%. Phosphorus (P): 4.5-5.0%. Potassium (K): 6.3-8.4%. Sulphur (S): 14-16.6%. Magnesium (Mg): 0.0%. Calcium (Ca): 10.0-11.0%. Boron (B): 0.1%

**CONTAINS**

Superphosphate: 50-55%  
 Ammonium Sulphate: 25-30%  
 Sulphate of Potash: 15-20%  
 Borate 46: <0.1%

**HANDLING PRECUATIONS AND STORAGE**

**HANDLING**

Read label before use. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wash hands thoroughly after handling. Wear protective clothing as detailed in Section 8 of the SDS. Use personal protective equipment as required. Avoid generating dust. Use only outdoors in a well ventilated area. Do not breathe dust. Do not eat, drink or smoke while using this product. Avoid unintended release into the environment.

If additional safety information is required, refer to the Safety Data Sheet (SDS). For a copy of the SDS phone 0800 100 123.

**STORAGE**

Store locked up. Store out of reach of children. Store in a cool, dry area away from oxidising agents and foodstuffs.

**WARNINGS AND FIRST AID MEASURES**

**TOXICITY DATA**

GHS Classification and Category: skin irritation Category 2 – causes skin irritation; eye irritation Category 2 – causes serious eye irritation; Reproductive toxicity Category 2 – suspected of damaging fertility or the unborn child.

Granular Ammonium Sulphate: LD50 (oral, rat) 2,840 mg/kg

Sulphate of potash: LD50 (oral, rat) 6,600 mg/kg

**ECOLOGICAL INFORMATION**

The mixture is not hazardous to the environment.

**IF IN EYES**

Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice.

**IF ON SKIN**

Take off contaminated clothing and wash before re-use. Wash skin with plenty of soap and water. If skin irritation occurs: Get medical advice/attention.

**IF INGESTED**

Rinse mouth. DO NOT induce vomiting. Never give anything to the mouth of an unconscious person. If vomiting occurs, place victim face downwards, with the head turned to the side and lower than the hips to prevent vomit entering the lungs. Seek medical attention if needed.

**IF INHALED**

Remove person to fresh air. Remove contaminated clothing and loosen remaining clothing. Allow person to assume most comfortable position and keep warm. Keep at rest until fully recovered. Get medical advice if breathing becomes difficult.

**For advice, or if you feel unwell, contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately. If medical advice is needed, have product container or label at hand.**



**SUPPLIER INFORMATION**

Imported, Manufactured and Distributed by Ravensdown Limited  
[www.ravensdown.co.nz](http://www.ravensdown.co.nz)  
 0800 100 123