# Safety Data Sheet



## Section 1: SUBSTANCE IDENTIFICATION AND SUPPLIER

Product Name:	Borate 46	
Other Names:	Calcium sodium tetraborate, ulexite, calcined ulexite, sodium borate and anhydrous calcium	
Product Code:	0001210	
Recommended Use:	Fertiliser	
Restrictions of Use:	Refer to Section 15	
Company Identification:	Ravensdown Limited	
Address:	292 Main South Road, Hornby, Christchurch 8042 PO Box 1049, Christchurch 8011	
Customer Centre:	0800 100 123	
National Poisons Information Centre:	0800 POISON (0800 764 766)	
Emergency Phone Number:	0800 CHEMCALL (0800 243 622) (24hr) (Emergencies Only)	
Transport Emergency Phone Number:	111 - tell operator what service is needed: Fire, Ambulance or Police	
Date of SDS Preparation	4 August 2020	

### Section 2: HAZARD IDENTIFICATION

#### This substance is hazardous according to the EPA Hazardous Substances (Classification) Notice 2017

EPA Approval No:	Fertilisers (subsidiary) – HSR002571
Pictograms:	
Signal Word:	DANGER

<b>HSNO Classification</b>	Hazard Code	Hazard Statement	GHS Category
6.4A	H319	Causes serious eye irritation.	Eye Irrit. 2A
6.8A	H360	May damage fertility or the unborn child.	Repr. 1A

Prevention Code	Prevention Statement
P103	Read label before use.
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P264	Wash hands thoroughly after handling.
P280	Wear protective clothing as detailed in Section 8.
P281	Use personal protective equipment as required.

Response Code Res	esponse Statement
P305 + P351+P338 IF II	IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

	easy to do. Continue rinsing.
P308 + P313	IF exposed or concerned: Get medical advice/ attention.
P337 + P313	If eye irritation persists: Get medical advice/attention.

Storage Code	Storage Statement
P405	Store locked up.
Disposal Code	Disposal Statement

# Dispose of according to Local Regulations or Authorities

#### Section 3: COMPOSITION INFORMATION

INGREDIENT	CAS No.	CONTENT
Double sodium calcium borate	92908-33-3	47% B2O3

#### Section 4: FIRST AID MEASURES

Routes of Exposure:	
If in eyes:	Flush with plenty of water for several minutes, holding eyelids open if necessary. Remove
	contact lenses if present and easy to do. Continue rinsing for at least 15 minutes. If eye
	irritation persists: Get medical advice/attention.
If on skin:	Remove contaminated clothing then wash affected area thoroughly with soap and water.
	Seek medical attention if needed.
If ingested:	Never give anything by mouth to an unconscious person. If swallowed induce vomiting,
	rinse mouth, drink one or two glasses of water. Assure that the patient is in an open air
	space and provide complementary medical care. For advice, contact the Nation Poisons
	Centre on 0800 POISON (0800 764 766). Seek medical assistance immediately.
If inhaled:	Remove patient to fresh air. Keep at rest in comfortable position for breathing If
	breathing is shallow or has stopped ensure airway is clear and apply resuscitation. Seek
	medical assistance if needed.
Most important symptoms a	nd effects, both acute and delayed
Symptoms:	
Eyes:	Causes severe eye irritation.
Skin:	Not applicable.
Ingested:	Not triggered however ingestion of large quantities may lead to nausea, vomiting, thirst
	and headache.
Inhaled:	Not applicable.
Chronic:	May damage fertility or the unborn child.
Notes to Doctor:	Treat symptomatically.

### Section 5: FIRE FIGHTING MEASURES

Hazard Type	Non Flammable
Hazards from combustion	None known.
products	
Suitable Extinguishing media	Based on surrounding materials.
Precautions for firefighters	Breathing apparatus, goggles, overalls, boots and protective gloves.
and special protective	
clothing	
HAZCHEM CODE	None Allocated

## Section 6: ACCIDENTIAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures: Wear appropriate protective clothing as detailed in Section 8. Exclude non-essential people from the area.

#### Environmental precautions:

P501

Prevent from entering drains, waterways or sewers. If spill does enter waterways contact local authority. Borate 46 is a granulated product which is partially soluble in water. In great quantities it may cause harm to trees and vegetation by absorption through the roots.

#### Methods and material for containment and cleaning up:

Contain spill and sweep up with a broom and spade or vacuum. Ensure adequate ventilation. Collect and place in sealable containers. Avoid generating dust. In the case of prolonged exposure or high levels of dust in the air, use a dust mask. Reuse or recycle where possible. Dispose according to Section 13.

For Water Spills:

Take the solution to a neutralization pond. Prevent the solution from being consumed or from polluting water sources or effluents. Warn local authorities so that none of the effected water is used for irrigation or as drinking water until natural dilution brings boron back to the normal environmental levels.

## Section 7: HANDLING AND STORAGE

Handling:	Read label before use.	
-	Obtain special instructions before use.	
	Do not handle until all safety precautions have been read and understood.	
	Wash hands thoroughly after handling.	
	Avoid contact with skin, eyes and inhalation.	
	Avoid generating dust.	
	Use only outdoors or in well ventilated areas.	
	Do not breathe dust.	
	Wear protective clothing as detailed in Section 8.	
	Use personal protective equipment as required.	
Storage:	Keep out of reach of children.	
	Store in a dry area away from incompatible materials listed in Section 10.	
	Store locked up.	
	In order to maintain the characteristics of the product and the integrity of the packing and	
	to minimize possible caking, apply the FIFO (first-in first-out) rotation system.	

## Section 8: EXPOSURE CONTROL/PERSONAL PROTECTION

#### WORKPLACE EXPOSURE STANDARDS (provided for guidance only)

Substance	TWA ppm mg/m <sup>3</sup>	STEL ppm mg/m <sup>3</sup>
Inspirable dust: Respirable dust:	- 10 - 3	

Workplace Exposure Standard – Time Weighted Average (WES-TWA). The time-weighted average exposure standard designed to protect the worker from the effects of long-term exposure. Workplace Exposure Standard – Short-Term Exposure Limit (WESSTEL). The 15-minute average exposure standard. Applies to any 15- Minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both the short-term and time-weighted average exposures apply. Workplace Exposure Standards and Biological Exposure Indices NOV 2019 11<sup>TH</sup> EDITION.

Engineering Controls:	Handle in well-ventilation area. If dust generated use local extraction to control. Avoid	
	inhalation of dust.	

Personal Protection Equipment:		
Eyes:	Wear safety goggles with side shield. Eye wash facilities should be available.	
Skin/Hands:	Wear protective gloves and overalls.	
Respiratory:	If dust is present wear a dust mask and goggles.	
General:	Do not eat, drink or smoke while using this product. Remove protective clothing and wash hands and face before meals and after work. Wash protective clothing daily after work.	

Product Name: Borate 46 Date of SDS: 4 August 2020

## Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Granular
Colour	White/grey
Odour	Odourless
Odour Threshold	Not available
рН	8.7 at 20°C (Sol. Saturated)
Boiling Point	Not available
Melting Point	960°C
Freezing Point	Not available
Flash Point	Not available
Flammability	Non Flammable
Upper and Lower Explosive	Not available
Limits	
Vapour Pressure	Not available
Vapour Density	Not available
Bulk Density	700-780 kg/m <sup>3</sup>
Water Solubility	4.93 g/L B <sub>2</sub> O <sub>5</sub> at 20°C
Partition Coefficient:	Not available
Auto-ignition Temperature	Not available
Decomposition Temperature	Not available
Kinematic Viscosity	Not available
Particle Characteristics	Not available

## Section 10: STABILITY AND REACTIVITY

Stability of Substance	This product is stable under normal conditions.	
Possibility of hazardous reactions	Not available	
Conditions to Avoid	Avoid exposure to humidity during storage and transport. Avoid contact with strong acids such as sulfuric and nitric acid. The product will decompose and there will be the formation of boric acid.	
Incompatible Materials	Incompatible with the presence of certain compounds of a basic nature.	
Hazardous Decomposition Products	None known.	

# Section 11: TOXICOLOGICAL INFORMATION

#### Acute Effects:

Swallowed	Not triggered however ingestion of large quantities may lead to nausea, vomiting, thirst and headache.
Dermal	Not applicable.
Inhalation	Not applicable.
Еуе	Causes serious eye damage. Direct contact may result in lachrymation (tears), pain, redness and conjunctivitis.
Skin	Not applicable.

## Chronic Effects:

Carcinogenicity	Not applicable.	
Reproductive Toxicity	May damage fertility or the unborn child.	
Germ Cell Mutagenicity	Not applicable.	
Aspiration	Not applicable.	
STOT/SE	Not applicable.	
STOT/RE	Not applicable.	

## Section 12: ECOLOGICAL INFORMATION

This product is not harmful to the environment.

Product:		
Persistence and degradability	Boron appears in a natural way and is omnipresent in the environment.	
Bioaccumulation	Not bio-accumulative.	
Mobility in Soil	Boron is partially soluble in water. Water contains low concentrations of boron that	
	varies between a range of 0.001 and 0.1 mg/L.	
Animal Ecotoxicity	Toxic to birds and mammals if swallowed in great quantities.	
Plant Ecotoxicity	Great quantities of borate may kill plants. Boron is used in small concentrations as a micronutrient.	
Air Ecotoxicity	Borate does not evaporate and the particulate emission pollution will depend on the size and the concentration of the particle, mobility and degradability.	
Other adverse effects	Avoid washing excessive amounts into streams and waterways. Avoid unintended release into the environment.	

# Section 13: DISPOSAL INFORMATION

Disposal Method:	Collection into sealable containers and dispose of in an appropriate land fill. Reuse or recycle where possible. If practicable apply excess fertiliser at recommended rates to	
	appropriate land. Observe any local authority restrictions that may apply.	
Container Disposal:	Rinse containers thoroughly prior to reuse. Otherwise render unusable and dispose of as waste.	
Precautions or methods to avoid:	Unacceptable disposal methods include, but are not limited to, burning, burying and dumping.	

## Section 14: TRANSPORT INFORMATION

This product is **NOT** classified as a Dangerous Good for transport in NZ ; NZS 5433:2012

## Section 15: REGULATORY INFORMATION

This substance is classified hazardous according to the EPA Hazardous Substances (Classification) Notice 2017		
EPA Approval Code:	ode: Fertilisers (subsidiary) – HSR002571	
HSNO Classification:	6.4A, 6.8A	

HSW (HS) Regulations 2017 and EPA Notices	Trigger Quantity
Certified Handler	Not required
Location Certificate	Not required
Tracking Trigger Quantities	Not required
Signage Trigger Quantities	Not required
Emergency Response Plan	10 000kg (6.8A)
Secondary Containment	10 000kg (6.8A)
Restriction of Use	Only use for the intended purpose.

## Section 16: OTHER INFORMATION

### Glossary

EC <sub>50</sub>	Median effective concentration.	
EEL	Environmental Exposure Limit.	
EPA	Environmental Protection Authority	
HSNO	Hazardous Substances and New Organisms.	
HSW	Health and Safety at Work.	
LC <sub>50</sub>	Lethal concentration that will kill 50% of the test organisms	inhaling or ingesting it.
LD <sub>50</sub>	Lethal dose to kill 50% of test animals/organisms.	
LEL	Lower explosive level.	
OSHA	American Occupational Safety and Health Administration.	
TEL	Tolerable Exposure Limit.	
TLV	Threshold Limit Value-an exposure limit set by responsible	authority.
Product Name: Borate 46	SDS Prepared by: Techni	ical Compliance Consultants (NZ) Ltd

Date of SDS: 4 August 2020

Tel: 64 9 475 5240 www.techcomp.co.nz Upper Explosive Level Workplace Exposure Limit

References:

- 1. EPA Hazardous Substances (Safety Data Sheets) Notice 2017
- 2. Workplace Exposure Standards and Biological Exposure Indices Nov 2017 edition.
- 3. Assigning a hazardous substance to a HSNO Approval (Aug 2013).
- 4. Transport of Dangerous goods on land NZS 5433:2012
- 5. HSW (Hazardous Substances) Regulations 2017

#### Disclaimer

This document has been prepared by TCC (NZ) Ltd and serves as the suppliers Safety Data Sheet ('SDS'). It is based on information concerning the product which has been provided to TCC (NZ) Ltd or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer. While TCC (NZ) have taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, TCC (NZ) Ltd accept no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS

The information herein is given in good faith, but no warranty, express or implied is made.

Please contact Ravensdown, if further information is required.

Issue Date:

4 August 2020

Review Date:

4 August 2025