Safety Data Sheet



SULPHUR SUPER 15

Section 1: SUBSTANCE IDENTIFICATION AND SUPPLIER

| Product Name: | Sulphur Super 15 |
|---|--|
| Other Names: | SS15 |
| Product Code: | 1790000 |
| Recommended Use: | Fertiliser |
| Restrictions of Use: | Refer to Section 15 |
| Company Identification: | Ravensdown Limited |
| Address: | 292 Main South Road, Hornby, Christchurch 8042 PO Box 1049, Christchurch 8011 |
| Customer Centre: | 0800 100 123 |
| National Poisons Information Centre: | 0800 POISON (0800 764 766) |
| Emergency Phone Number: | 0800 CHEMCALL (0800 243 622) (24hr) (Emergencies Only) |
| Transport Emergency Phone Number: | 111 – tell operator what service is needed: Fire, Ambulance or Police |
| Date of SDS Preparation | 17 March 2025 v2 |

Section 2: HAZARD IDENTIFICATION

This substance is hazardous according to the EPA Hazardous Substances (Classification) Notice 2020

| EPA Approval No: | Fertilisers (subsidiary) – HSR002571 |
|------------------|--------------------------------------|
| Pictograms: | Rel Mel |
| Signal Word: | DANGER |

| GHS Classification and Category | Hazard Code | Hazard Statement |
|---------------------------------|-------------|----------------------------|
| Serious eye damage Cat. 1 | H318 | Causes serious eye damage. |

| Prevention Code | Prevention Statement |
|-----------------|--|
| P280 | Wear protective clothing as detailed in Section 8. |

| Response Code | Response Statement |
|------------------|--|
| P310 | Immediately call a POISON CENTER or doctor/physician. |
| P305 + P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |

| Storage Code | Storage Statement |
|----------------|-------------------|
| None allocated | |

| Disposal Code | Disposal Statement |
|--------------------------|--------------------|
| | |
| Product Name: Sulphur 15 | |

Section 3: COMPOSITION INFORMATION

| INGREDIENT | CAS No. | CONTENT |
|------------------|-----------|---------|
| Sulphur Super 30 | Mixture | 20% |
| Superphosphate | 8011-76-5 | 80% |

Section 4: FIRST AID MEASURES

| Routes of Exposure: | |
|-----------------------------|---|
| If in eyes: | Flush with plenty of water for several minutes, holding eyelids open if necessary. Remove contact lenses if present and easy to do. Continue rinsing for at least 15 minutes. Immediately call a POISON CENTER or doctor/physician. |
| If on skin: | Remove contaminated clothing then wash affected area thoroughly with soap and water. If a large area is affected seek medical assistance. Wash contaminated clothing before reuse. |
| If ingested: | Never give anything by mouth to an unconscious person. Rinse mouth but DO NOT induce vomiting. Call a POISON CENTER or doctor/physician if you feel unwell. |
| If inhaled: | Remove patient to fresh air. Keep at rest in comfortable position for breathing. If breathing is shallow or has stopped ensure airway is clear and apply resuscitation. Seek medical assistance if needed. |
| Most important symptoms and | d effects, both acute and delayed |
| Symptoms: | |
| Eyes: | Causes serious eye damage. Direct contact may result in lachrymation (tears), pain, redness and conjunctivitis. |
| Skin: | Not applicable. Prolonged and repeated skin exposure may result in irritation, skin rash and dermatitis. |
| Ingested: | Not triggered, however if ingestion of large quantities, may lead to nausea, vomiting, thirst and headache. |
| Inhaled: | Not applicable. Over exposure may cause mucous membrane irritation and coughing. |
| Chronic: | Not applicable. |
| Notes to Doctor: | No specific antidote. Treat symptomatically. |

Section 5: FIRE FIGHTING MEASURES

| Hazard Type | Non-Flammable |
|------------------------------|--|
| Hazards from combustion | Sulphur oxides, metal oxides, phosphorous oxides. |
| products | |
| Suitable Extinguishing media | Based on surrounding materials. |
| Precautions for firefighters | Breathing apparatus goggles and protective gloves. |
| and special protective | |
| clothing | |
| HAZCHEM CODE | None Allocated |

Section 6: ACCIDENTIAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:

Wear appropriate protective clothing as detailed in Section 8. Exclude non-essential people from the area.

Environmental precautions:

Avoid unintended release of excessive amounts into waterways or sewers. If spill does enter waterway contact local authority.

Methods and material for containment and cleaning up:

Contain spill and sweep up. Collect and place in sealable containers. Avoid generating dust. Reuse or recycle where possible. Dispose according to Section 13.

Section 7: HANDLING AND STORAGE

| Handling: | Read label before use. | |
|-----------|--|--|
| | Avoid generating dusts. | |
| | Use in outdoors or in well-ventilated area. | |
| | Do not eat, drink or smoke while using this product. | |
| | Wash hands thoroughly after handling. | |
| | Do not breathe dust. | |
| | Wear protective clothing as detailed in Section 8. | |
| Storage: | Keep out of reach of children. | |
| | Store in a cool, dry area away from oxidising agents and foodstuffs. | |

Section 8: EXPOSURE CONTROL/PERSONAL PROTECTION

WORKPLACE EXPOSURE STANDARDS (provided for guidance only)

| Substance | TWA ppm mg/m³ | STEL ppm mg/m³ |
|--------------------------------------|------------------|-------------------|
| Inspirable dust: Respirable dust: | - 10 - 3 | |

Workplace Exposure Standard – Time Weighted Average (WES-TWA). The time-weighted average exposure standard designed to protect the worker from the effects of long-term exposure. Workplace Exposure Standard – Short-Term Exposure Limit (WESSTEL). The 15-minute average exposure standard. Applies to any 15- Minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both the short-term and time-weighted average exposures apply. Workplace Exposure Standards and Biological Exposure Indices FEB 2025 15TH EDITION.

| Engineering Controls: | Handle in well-ventilation area. If dust generated use local extraction to control. Avoid |
|-----------------------|---|
| | inhalation of dust. |

Personal Protection Equipment:

| | X | | |
|--------------|---|--|--|
| Eyes: | Wear safety goggles with side shield. Eye wash facilities should be available. | | |
| Skin/Hands: | Wear protective gloves and overalls. | | |
| Respiratory: | If dust is present wear a dust mask and goggles. | | |
| General: | Do not eat, drink or smoke while using this product. Remove protective clothing and wash hands and face before meals and after work. Wash protective clothing daily after work. | | |

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

| Appearance | Granules | |
|---------------------------|--|--|
| Colour | Colour varies with rock types from creamy to brown or dark grey granules. Yellow | |
| | elemental sulphur may be visible. | |
| Odour | Odourless | |
| Odour Threshold | Not available | |
| рН | Not available | |
| Boiling Point | Not available | |
| Melting Point | Not available | |
| Freezing Point | Not available | |
| Flash Point | Not available | |
| Flammability | Not available | |
| Upper and Lower Explosive | Not available | |
| Limits | | |

| Vapour Pressure | Not available |
|---------------------------|---------------|
| Vapour Density | Not available |
| Specific Gravity | Not available |
| Water Solubility | Soluble |
| Partition Coefficient: | Not available |
| Auto-ignition Temperature | Not available |
| Decomposition Temperature | Not available |
| Kinematic Viscosity | Not available |
| Particle Characteristics | Not available |

Section 10: STABILITY AND REACTIVITY

| Stability of Substance | This product is stable under normal conditions. | | |
|--------------------------|---|--|--|
| Possibility of hazardous | Not available | | |
| reactions | | | |
| Conditions to Avoid | None known. | | |
| Incompatible Materials | Oxidising agents. | | |
| Hazardous Decomposition | Sulphur oxides, metal oxides, phosphorous oxides. | | |
| Products | | | |

Section 11: TOXICOLOGICAL INFORMATION

Acute Effects:

| Swallowed | Not triggered however if ingestion of large quantities it may lead to nausea, vomiting, thirst and headache. |
|------------|---|
| Dermal | Not applicable. |
| Inhalation | Not triggered, however over exposure may cause mucous membrane irritation and coughing. |
| Еуе | Causes serious eye damage. Direct contact may result in lachrymation (tears), pain, redness and conjunctivitis. |
| Skin | Not triggered however prolonged and repeated skin exposure may result in irritation, skin rash and dermatitis. |

Chronic Effects:

| Carcinogenicity | Not applicable. |
|------------------------|-----------------|
| Reproductive Toxicity | Not applicable. |
| Germ Cell Mutagenicity | Not applicable. |
| Aspiration | Not applicable. |
| STOT/SE | Not applicable. |
| STOT/RE | Not applicable. |

Section 12: ECOLOGICAL INFORMATION

This product is not hazardous to the environment.

| Product: | |
|-------------------------------|-------------------|
| Persistence and degradability | No data available |
| Bioaccumulation | No data available |
| Mobility in Soil | No data available |
| Other adverse effects | No data available |

Section 13: DISPOSAL INFORMATION

| Disposal Method: | Collection into sealable containers and dispose of in an appropriate land fill. Reuse or recycle where possible. If practicable apply excess fertiliser at recommended rates to appropriate land. Observe any local authority restrictions that may apply. | |
|---------------------|--|--|
| Container Disposal: | Rinse containers thoroughly prior to reuse. Otherwise render unusable and dispose of as waste. | |

Precautions or methods to avoid: Do not allow to enter waterways.

Section 14: TRANSPORT INFORMATION

This product is NOT classified as a Dangerous Good for transport in NZ ; NZS 5433:2020

Section 15: REGULATORY INFORMATION

This substance is classified hazardous according to the EPA Hazardous Substances (Classification) Notice 2020EPA Approval Code:Fertilisers (subsidiary) – HSR002571

| HSW (HS) Regulations 2017 and EPA Notices | Trigger Quantity |
|---|------------------------------------|
| Certified Handler | Not required |
| Location Certificate | Not required |
| Tracking Trigger Quantities | Not required |
| Signage Trigger Quantities | 1000kg |
| Emergency Response Plan | 10 000kg |
| Secondary Containment | 10 000kg |
| Restriction of Use | Only use for the intended purpose. |

Section 16: OTHER INFORMATION

Glossary

| EC ₅₀ | Median effective concentration. |
|------------------|---|
| EEL | Environmental Exposure Limit. |
| EPA | Environmental Protection Authority |
| HSNO | Hazardous Substances and New Organisms. |
| HSW | Health and Safety at Work. |
| LC ₅₀ | Lethal concentration that will kill 50% of the test organisms inhaling or ingesting it. |
| LD ₅₀ | Lethal dose to kill 50% of test animals/organisms. |
| LEL | Lower explosive level. |
| OSHA | American Occupational Safety and Health Administration. |
| TEL | Tolerable Exposure Limit. |
| TLV | Threshold Limit Value-an exposure limit set by responsible authority. |
| UEL | Upper Explosive Level |
| WES | Workplace Exposure Limit |

References:

- 1. EPA Hazardous Substances (Safety Data Sheets) Notice 2017
- 2. Workplace Exposure Standards and Biological Exposure Indices Nov 2025 15th edition.
- 3. Assigning a hazardous substance to a HSNO Approval (Aug 2013).
- 4. Transport of Dangerous goods on land NZS 5433:2020
- 5. HSW (Hazardous Substances) Regulations 2017

Disclaimer

This document has been prepared by TCC (NZ) Ltd and serves as the suppliers Safety Data Sheet ('SDS'). It is based on information concerning the product which has been provided to TCC (NZ) Ltd or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer. While TCC (NZ) have taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, TCC (NZ) Ltd accept no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS

The information herein is given in good faith, but no warranty, express or implied is made.

Please contact Ravensdown, if further information is required.

| Issue Date: | 17 March 2025 | Review Date: | 17 March 2030 |
|----------------------------|---------------|---------------------|---|
| Product Name: Sulphur 15 | | SDS Prepared by: Te | chnical Compliance Consultants (NZ) Ltd |
| Date of SDS: 17 March 2025 | | Tel: 64 9 475 5240 | www.techcomp.co.nz |